ELSEVIER

Journal of Orthopaedic Research 22 (2004) 1367–1369

Journal of Orthopaedic Research

www.elsevier.com/locate/orthres

Volume 22, 2004

AUTHOR INDEX

Aartman IHA, 495
Abe I, 189, 571
Abramowitch SD, 214
Abu-Amer Y, 13
Ahn JI, 1215
Akselrod S, 1296
Albers GHR, 495
Alfredson H, 321
Alini M, 1193
Amadio PC, 984, 1310
Amedee J, 73
Amizuka N, 520
An K-N, 600, 984, 1310
Anderberg C, 1035
Anderst W, 931
Andreas Haga H, 1201
Andreassen TT, 472
Andriacchi TP, 794
Anoop PC, 152
Anseth KS, 1143
Arnoczky S, 931
Arnoczky SP, 328
Arnold MP, 963
Aronow MS, 30
Aspenberg P, 244, 472, 684, 1108
Åstrand J, 244
Aswad B, 1175
Ateshian GA, 565
Athanasiou KA, 1182
Audenaert EA, 1222
Augat P, 1158
Awiszus F, 96, 768
Axe MJ, 925
Ayers DC, 822
Azuma Y, 395

Badalamenti S, 884
Bader DL, 1143
Badylak SF, 214
Baer GS, 427
Bakker FC, 1271
Bal BS, 832
Barahmand-pour F, 910
Bareille R, 73
Barroug A, 703
Barry MA, 411
Batra NN, 1283
Battaglia TC, 552
Bechtold JE, 647
Becker R, 768
Bednarz P, 465
Bennell K, 116
Bennell KL, 267
Berdón-Zapata V, 1
Berend ME, 44
Berghs BM, 1222
Bergmann G, 625
Bernhardt R, 1025
Berry DJ, 237
Berth A, 768
Bertone AL, 1261
Bexander C, 116
Biewener A, 1025
Bignardi C, 487
Bishop AT, 1290
Blackburn M, 910
Blankevoort L, 963
Block JA, 1175
Blum JS, 411
Blunn GW, 1316
Boivin GP, 998
Bonar SF, 334
Bourne R, 659
Bouxsein ML, 867, 1261
Boyer MI, 990
Bragdon CR, 659
Brndstrm H, 1058
Bray RC, 942
Breunig T, 1094
Briggs T, 1316
Bringmann C, 275
Brooks RA, 1016
Bruce WJ, 1008
Bruckner JD, 910
Bryant SJ, 1143
Bukata SV, 6
Bumgardner JD, 1231
Bünger C, 501
Bünger MH, 501
Bunn JR, 1336
Burger EH, 495
Burke G, 1336
Burkhead Jr WZ, 298
Burns ME, 990
Burr DB, 465
Butler DL, 998
Butler SD, 1215

Cabe GD, 479
Canning J, 1336
Cannon SR, 1316
Caplan AI, 735
Carbone A, 1008
Carlson CS, 1201
Carmouche J, 1254
Carney DH, 1094
Carter DR, 346
Casolari E, 487
Cayli S, 1243
Cerione RA, 436
Chaipinyo K, 446
Chan E-C, 592
Chang E, 1188
Chansky HA, 910
Chansky K, 910
Chen AL, 1188
Chen BD, 21
Chen Q-S, 600
Chen T-H, 1161
Chen Y-J, 526, 854
Chmielewski TL, 925
Choi MG, 229
Choi P, 1100
Cholewicki J, 1150
Chosa E, 158
Chouinard L, 1351
Clancy B, 1261
Clark RT, 552
Clarke SA, 1016
Clemens VR, 716
Clohisy JC, 13
Coe IA, 1283
Cohen N, 735
Cohen SB, 427
Cole WG, 759
Conrad III EU, 910
Cook JL, 334
Cooney III WP, 600
Costouros JG, 678
Cowan SM, 267
Crossley KM, 267
Crowther RS, 1094
Crum JA, 970

Damron LA, 822
Dang AC, 678
Dankbar B, 774
Darling EM, 1182
Day B, 1365
Day JS, 465
Deak MM, 436
de Bruijn JD, 544, 697
Debski RE, 85, 889
DeFrate LE, 90, 293, 801
Dennis JE, 735
Dsvaux C, 1351
De Wilde LF, 1222
Dhert WJA, 544, 697
Di Cesare PE, 751, 1188
Diduch DR, 427
Diederichsen LP, 976
Digas G, 1035
Di Jorio S, 1094
Ding M, 465
Ditsios K, 990
Dooley PC, 1063
Doschak MR, 942
Drescher W, 501
Drissi H, 687
Dubreuil P, 1351
Duch MR, 726
Duda GN, 625, 1072
Duke PJ, 759
Dyhre-Poulsen P, 976
Dyrby CO, 794

Eagar P, 613
Eastlack RK, 918
Ebied AM, 862, 872
Eckstein F, 275
Einhorn TA, 520, 685
Ekman S, 1201
Endo K, 878
Englmeier K-H, 275
Ernstberger A, 709
Estes DM, 832
Estok DM, 659
Evans CH, 66

Fang C, 1188
Fang X-H, 578
Faris PM, 44
Fedorovich NE, 697
Feller JA, 334
Ferguson CM, 687
Ferrara L, 1243
Fierlinger A, 362
Filler T, 1345
Findlay DM, 1008
Fischer K, 607
Fischer-Rasmussen T, 976
FitzPatrick D, 641
Fitzsimmons JS, 716
Florer JB, 998
Ford JL, 368
Forsgren S, 321
Forster H, 671
Fortier LA, 436
Foster BK, 417
Frazier E, 13
Freeman DC, 884
Friedrich PF, 1290
Frisbie DD, 66
Frlke JPM, 1271
Frost A, 1058
Frostick SP, 862, 872
Fuchs S, 774, 1210
Füchtmeier B, 709
Fukumoto T, 716

Gabriel MT, 85
Gallagher C, 641
Galloway HR, 788, 955
Garca-Ortiz JE, 1
Gardner K, 328
Gaschen V, 552
Gelberman RH, 990
Gelinas J, 6
Genant HK, 362
Gendler E, 1358
Gerber C, 194, 202, 1004
Gerstenfeld LC, 703
Ghivizzani SC, 66
Gilbert TW, 214
Gilbertson S, 949
Gill SS, 427
Gill TJ, 801
Glaser E, 1296
Glimcher MJ, 703
Gngi D, 376
Goei SW, 495
Goetz W, 774
Goldberg VM, 735
Goldhahn J, 1237
Goldstein SA, 1079
Gole MD, 781
Gonzalez C, 716
Goodship AE, 1316
Gordon KD, 208
Grabiner MD, 1086
Grtz KW, 376
Graichen H, 275
Granillo-lvarez M, 1
Greenlee TK, 910
Grigoryan M, 362
Grills BL, 1063
Griswold DE, 6
Gronowicz GA, 30
Groppo ER, 918
Guermazi A, 362
Guilak F, 131

Haarman HJThM, 1271
Haas NP, 514

doi:10.1016/S0736-0266(04)00211-6

Hachisuka H, 509
Hage JJ, 1331
Hagenbeek A, 697
Hagio K, 665
Hagquist W, 949
Hall K, 283
Hallab NJ, 250
Han S-K, 13
Hanisch U, 1025
Hanley DA, 942
Hansen ES, 501
Hara Y, 189, 571
Hargens AR, 918
Haro H, 895
Harris MT, 998
Harris WH, 659
Hashimoto H, 1044
Hashimoto T, 388
Hassenpflug J, 847
Hasty KA, 1215
Hattori A, 665, 1248
Haut RC, 1135
Haut Donahue TL, 807
Havstad S, 931
Hayes E, 759
Haynes R, 759
Hazelwood SJ, 51
Hecht JT, 759
Heller MO, 625, 1072
Helms JA, 1100
Hente R, 709
Heseltine K, 671
Hildebrand KA, 313
Hipp JA, 479
Hirano T, 465
Hirayama T, 13
Hodges P, 116
Holmertz J, 1108
Holtman K, 404
Hong J, 479
Hoppeler H, 1004
Howell SM, 613, 839
Howgate ML, 1063
Howie DW, 1008
Hsu C-C, 586
Hsu RW-W, 221
Hsu W-H, 221
Hsu Y-H, 586
Hu JCY, 1182
Huang H-C, 526, 854
Huang Y-T, 854
Hubbell JA, 376
Huijing PA, 1331
Hull ML, 613, 807, 839
Huneault LM, 1351
Hunziker EB, 552
Hurwitz DE, 339
Hvid I, 465

Iatridis JC, 1193
Ibiwoye MO, 1086
Ichikawa A, 878
Ichimura H, 189, 571
Ignelzi Jr MA, 1079
Ihara K, 388
Ikeda K, 388
Imakiire A, 298
Inceoglu S, 1243
Ingerslev J, 501
Inoue T, 878
Isefuku S, 1276
Ishida O, 509
Issack PS, 751
Itoi E, 457
Iwamoto Y, 104

Jacob HAC, 194
Jacobs CR, 807, 1283
Jacobs JJ, 250
Jahn UR, 1210
Jani S, 671
Jrvinen M, 1303
Jrvinen TAH, 1303
Jrvinen TLN, 1303
Jeffrey SL, 949
Jensen TB, 653
Jewison DE, 237
Jinrok O, 1310
Johnson JA, 208
Johnston CC, 465
Johnston JD, 867
Jomha NM, 152
Joyner CJ, 1276
Jzsa L, 1303
Jurvelin JS, 557

Kahn-Farooqi W, 910
Kamogawa J, 1168
Kandziora F, 514, 1072
Kannus P, 1303
Krrholm J, 659, 1035
Kassi J-P, 1072
Kasukawa Y, 457
Kato M, 520
Kato T, 895
Katsube K, 1290
Kaufman KR, 600
Kawai S, 388
Kawakami H, 1248
Kawano H, 388
Kawcak CE, 66
Kazmier P, 832
Kemp GJ, 862, 872
Khan KM, 334
Khiabani KT, 578
Kidani T, 1168
Kilincer C, 1243
Kim D-G, 633
Kim HKW, 122
Kim HT, 140, 678, 1120
Kimura Y, 1168
King GJW, 208
Kinney JH, 1094
Kleffner TO, 1210
Klein P, 1072
Klein-Nulend J, 495
Ko S-H, 781
Kobayashi S, 170, 180
Kofman-Alfaro S, 1
Kolowich P, 931
Komori H, 895
Koob TJ, 122
Kopacz M, 565
Korstjens CM, 495
Kreulen M, 1331
Krishnan R, 565
Krogsgaard M, 976
Krueger A, 202
Kruyt MC, 544, 697
Kudo T, 457
Kuhn LT, 703
Kmpers P, 1345
Kuo L-C, 600
Kuo Y-R, 526, 854
Kwon SY, 229

Laasanen MS, 557
Langer R, 1114
Lappalainen R, 557
LaPrade RF, 970
Lavagnino M, 328
Lee CR, 1193
Lee DA, 1143
Lee K-F, 221
Lee N, 592
Lee PTH, 1016
Leo BM, 427
Leslie MP, 1188
Lewek MD, 110
Lewis CG, 30
Li G, 90, 293, 801, 1336
Li J, 1261
Li XH, 21
Li YJ, 1283
Lim AYT, 1325
Lin C, 1175
Lin H-Y, 1231
Lin PY, 1126
Lin S-S, 592, 1126
Lindsey C, 283
Liu C, 1188
Liu C-j, 751
Ljung B-O, 321
Ljunggren , 1058
Lloyd DG, 260
Lo MY, 140, 1120
Loer F, 237
Lohmann CH, 774
Lopez MJ, 949
Lotz J, 283
Lotz JC, 164, 901
Lu Y, 283
Lukens SC, 884
Lussier B, 1351
Lynch JA, 362

MacDonald DE, 353
Machner A, 96
MacLean DB, 362
MacLean JJ, 1193
Madsen MS, 44
Maeda D, 1044
Majumdar S, 283
Makitie O, 759
Malchau H, 659
Mann KA, 633, 822
Mao Z, 742
Marini RP, 1114
Markel MD, 949
Marks P, 39
Marotta JS, 671
Marquardt B, 1345
Marsh DR, 1336
Martens ACM, 697
Martin I, 1114
Martin RB, 51
Marzo JM, 781
Mashiba T, 465
Masquelet AC, 73
Masuno H, 1168
Mathisen L, 1201
Mathoulin Pelissier S, 73
Matsuda S, 104
Maultsby J, 80
Mawatari T, 104
McCarty RC, 417
McConnell J, 267
McCormack D, 39
McGann LE, 152
McGee MA, 1008
McGough R, 1175
McIlwraith CW, 66
McKenna J, 39
McLain RF, 1243
McMahon PJ, 889
Meding JB, 44
Mei Q, 910
Meier SC, 1283
Mellor R, 116
Mellum CN, 1201
Mentlein R, 847
Messina C, 250
Messmer P, 1237
Meyer DC, 1004
Miclau T, 1100
Midura RJ, 1086
Miki H, 665
Mikic B, 552
Mikos AG, 411
Miller MA, 633
Miller TA, 208
Milner R, 671
Miura H, 104
Miyakoshi N, 457
Miyazaki T, 1168
Moisio KC, 339
Montufar-Solis D, 759
Moore SM, 889
Moore TM, 1358
Morel V, 145
Moriya H, 520
Morlock MM, 1237
Morrey BF, 237
Morris HH, 44
Most E, 90, 293
Mulhall KJ, 39
Mller R, 376
Musahl V, 214, 889
Mushipe M, 1336

Nabeyama R, 104
Nagamine R, 104
Nakajima A, 520
Nakamae A, 509
Nakazawa T, 520
Naruse T, 1050
Nehring M, 768
Nieminen MT, 557
Nilsson O, 1058
Nishii T, 665, 828
Nissi MJ, 557
Nolte PA, 495
Nrregaard J, 976
Nulend JK, 1271
Nyffeler RW, 194
Nyman JS, 51
Nyska M, 1296

Oakes BW, 446
Ochi M, 509
Ochi T, 665, 1044, 1248
Ochiai N, 189, 571
OConnor DT, 229
Oddy MJ, 1316
ODriscoll SW, 716
Ofer N, 1296
Ogilvie C, 1100
Ogino T, 1050
OHiggins N, 641
Okawa A, 520
OKeefe RJ, 6, 687, 726, 1254
Opitz M, 1072
ORourke SK, 641
Orui H, 1050
Ostapowicz D, 514
Otake Y, 665
OToole GC, 641
Overgaard S, 653
Ozhinsky E, 283

Page TT, 1008
Palmer EI, 164
Pang J-HS, 586
Pap G, 96
Pardo RD, 208
Park S-H, 382, 1156
Park SE, 801
Parrott MB, 411
Patel VV, 283
Patka P, 1271
Patterson TE, 1086
Paul Sung K-L, 229
Pearlman JL, 306
Pedersen FS, 726
Pedowitz RA, 918
Pelissier Ph, 73
Pendegrass CJ, 1316
Pereira BP, 1325
Perinpanayagam H, 404
Perren SM, 709

Petersen W, 847
Pfaeffle J, 607
Phillips DM, 1135
Pichora DR, 867
Pittman DD, 1261
Placzek JD, 884
Platte S, 1079
Ptzl W, 1345
Poulsen D, 781
Powell KA, 1086
Prasad Shastri V, 1114
Prazak L, 751
Prem Kumar V, 1325
Pringle D, 122
Pufe T, 847
Puzas JE, 6, 687

Quinn TM, 145

Race A, 822
Rahaman MN, 832
Rahbek O, 653
Rammelt S, 1025
Rapuano BE, 353
Raschke M, 514
Rashid MM, 807
Reed AAC, 1276
Refshauge KM, 788, 955
Reinholt FP, 1201
Reinholz GG, 716
Reiser M, 275
Ren W, 21
Rieppo J, 557
Ries M, 283
Ritter MA, 44
Ritty TM, 990
Roach SS, 306
Robinson DE, 368
Rodrigo JJ, 51
Rompe JD, 1362
Roos PJ, 839
Rosier RN, 6
Roubal PJ, 884
Rozemuller H, 697
Rubash HE, 90, 293
Rubery PT, 1254
Rudolph KS, 110
Rushton N, 1016
Ryaby JT, 1094

Saarakkala S, 557
Saito M, 828
Sakai Y, 1086
Sakayama K, 1168
Sakurakichi K, 395
Salih E, 641
Sanyal A, 716
Sato K, 457
Scammell BE, 368
Scarvell JM, 788, 955
Schantz EJ, 998
Scharnweber D, 1025
Scheld WM, 427
Schell H, 1072
Schense JC, 376
Schlegel PM, 1210
Schlegel U, 709
Schmidmaier G, 514
Schmoekel H, 376
Schneider E, 1237
Schneider G, 404
Schuijers JA, 1063
Schulze E, 1025
Schwarz EM, 6, 687, 726, 1254
Scully SP, 237
Seebach C, 472
Seebeck J, 1237
Seeherman H, 58
Seeherman HJ, 1261
Seki A, 457
Seki N, 520
Semeins CM, 495, 1271
Semevolos SA, 436
Shabat S, 1296
Sheehan E, 39
Shefelbine SJ, 346
Sheller MR, 1094
Shigetomi M, 388
Shih H-N, 1161
Shih L-Y, 1161
Shinomiya K, 895
Shinozaki T, 878
Shirakata H, 1168
Shiue C-C, 586
Sibonga JD, 237
Siebert M, 275
Silfverswrd C-J, 1058
Silva M, 382
Silva MJ, 990
Simon Jr CG, 535
Simpson AHRW, 1276
Skipor A, 250
Skoglund B, 1108
Skripitz R, 472
Slade J, 1079
Small CF, 867
Smeulders MJC, 1331
Smith AJ, 260
Smith PN, 788, 955
Smith TL, 80
Smith-Adaline EA, 1079
Snyder BD, 479
Snyder-Mackler L, 110, 925
Sballe K, 647, 653, 726
Song XR, 6
Southwood LL, 66
Souvlis T, 116
Speed CA, 1366
Sprecher C, 237
Stabile KJ, 607
Stackhouse S, 925
Stdele H, 1237
Stamenkov R, 1008
Stanford C, 404
Stange R, 514
Steinbeck J, 1345
Stepheson LL, 578
Stevens MM, 1114
Stijns MMC, 697
Su F-C, 600
Sugamoto K, 1044
Sugano N, 665, 828, 1248
Suggs JF, 90, 293
Sugiyama T, 388
Sumner DR, 58, 339, 465
Sun J, 571
Sun Y-C, 854
Sun Y-L, 984
Sunagawa T, 509
Susic M, 759
Sutherland C, 313
Suzuki K, 457, 878
Suzuki N, 665, 1248
Suzuki O, 509
Swider P, 647
Szuwart T, 1210, 1345

Tai C-L, 221
Tajima N, 158
Takagi M, 1050
Takagishi K, 878
Takahara M, 1050
Takase K, 298
Tamura S, 1044
Tamura Y, 457
Tan B-L, 1325
Tan JAC, 1325
Tang F-T, 586
Tashman S, 931
Taylor D, 487
Taylor WR, 625, 1072
Tedrow JR, 479
Teige J, 1201
ten Ham A, 963
Terek R, 1175
Terry Canale S, 1215
Tessman RK, 832
Ttreault P, 202
Thanner J, 1035
Thompson Z, 1100
Tian T, 328
Tibesku CO, 774, 1210
Tiyapatanaputi P, 1254
Tokunaga M, 104
Tomaino MM, 607
Tomita K, 395
Tomita T, 1044
Toth C, 1008
Totoribe K, 158
Tyrs J, 557
Trickey WR, 131
Tsai W-C, 586
Tsubone T, 388
Tsuchida T, 457
Tsuchiya H, 395
Tsuda E, 214
Tsujino A, 189, 571
Turek T, 58
Turner TM, 58

Uehara K, 395
Ueng SWN, 592, 1126
Ulrich-Vinther M, 726
Urban RM, 58

Vail TP, 131
Valds-Flores M, 1
Valero-Cuevas FJ, 306
Van Aken H, 1210
van Blitterswijk CA, 544, 697
Van Damme MI, 446
van der Horst CMAM, 1331
van der Linden JC, 465
van Kampen A, 963
Vardaxis VG, 44
Varoga D, 847
Veldhoven J, 659
Verbout AJ, 544, 697
Verdonschot N, 963
Vestermark MT, 647
Volkman SK, 1079
von Eisenhart-Rothe R, 275
von Knoch M, 237
von Rechenberg B, 1004

Wagner DR, 901
Wang A, 828
Wang C-J, 526, 854
Wang F-S, 526, 854
Wang JH-C, 214
Wang WZ, 578
Ward P, 1008
Watanabe T, 1044
Wayne McIlwraith C, 66
Weber FE, 376
Wei X, 6
Weigert KP, 501
Weinans H, 465
Weiss JA, 607
Weng J-H, 592
Wenstrup RJ, 998
Wentorf FA, 970
Werner CML, 194
Werner M, 1296
Wiater JM, 884
Widmer K-H, 815
Wildemann B, 514
Wildenau G, 774
Wildenauer CI, 1008
Wilson CE, 544
Wohl GR, 942
Wold LE, 1310
Wolfman A, 1086
Wong EK, 85
Wong-Gibbons D, 80
Woo SL-Y, 85, 214
Wood DJ, 260
Woods KR, 788, 955
Wooley PH, 21
Worch H, 1025
Wozney JM, 58
Wu C, 353
Wurtz T, 526

Xian CJ, 417
Xu HHK, 535

Yagi M, 85
Yagil-Kelmer E, 832
Yamada S, 170, 180
Yamaji T, 878
Yamamoto H, 1168
Yamamoto K, 298
Yamamoto T, 828
Yamashiro T, 395
Yamazaki M, 520
Yamazaki T, 1044
Yang C, 984
Yang C-Y, 1126
Yang J, 1094
Yang KD, 526, 854
Yang L, 910
Yasunaga Y, 509
Yau S-S, 828
Yeh OC, 51
Yeh W-L, 1126
Yellowley CE, 1283
Yonenobu K, 665, 1248
Yoshikawa H, 665, 1044, 1248
Yoshizawa H, 170, 180
You L, 1283
Ytrehus B, 1201
Yu C, 742
Yuan H, 544
Yuan L-J, 592, 1126
Yuan X, 659

Zaharias R, 404
Zaim S, 362
Zamboni WA, 578
Zantop T, 847
Zayontz S, 90, 293, 801
Zborowski M, 1086
Zenteno JC, 1
Zernicke RF, 942
Zhang H, 30
Zhang M, 313
Zhang X, 6, 742, 1254
Zhao C, 984, 1310
Zhou FH, 417
Zielinska-Kwiatkowska A, 910
Ziv I, 781
Zobitz ME, 984, 1310
Zurakowski D, 202
Zurfluh B, 815
Zuscik MJ, 687
Zwipp H, 1025

ELSEVIER

Journal of Orthopaedic Research 22 (2004) 1370–1386

Journal of Orthopaedic Research

www.elsevier.com/locate/orthres

Volume 22, 2004

SUBJECT INDEX

Absorbable fiber reinforcement
Self-hardening calcium phosphate composite scaffold for bone tissue engineering, 535

Accuracy
Comparison of two digital radiostereometric analysis methods in the determination of femoral head penetration in a total hip replacement phantom, 659

Achilles tendon
Extracorporeal shock waves promote healing of collagenase-induced Achilles tendinitis and increase TGF-β1 and IGF-I expression, 854

ACL
Instrumented measurement of in vivo anterior–posterior translation in the canine knee to assess anterior cruciate integrity, 949
Kinematics of the ACL-deficient canine knee during gait: serial changes over two years, 931
Twist and its effect on ACL graft forces, 963

Actin
The role of the cytoskeleton in the viscoelastic properties of human articular chondrocytes, 131

Adaptation
Internodes can nearly double in length with gradual elongation of the adult rat sciatic nerve, 571
Predicting stress fractures using a probabilistic model of damage, repair and adaptation, 487

Adenosine analogue
Reducing joint destruction due to septic arthrosis using an adenosine$_{2A}$ receptor agonist, 427

Adenoviral vector
Evaluation of Ad-BMP-2 for enhancing fracture healing in an infected defect fracture rabbit model, 66

Adhesion
Reducing friction by chemically modifying the surface of extrasynovial tendon grafts, 984

Adipose
Cellular and molecular characterization of a murine non-union model, 1100

Adult
Expression of bone morphogenetic proteins, receptors, and tissue inhibitors in human fetal, adult, and osteoarthritic articular cartilage, 1188

Age
Predicting shoulder strength using allometry: implications for shoulder outcome assessments, 884

Aging
The effects of patient age on human osteoblasts' response to Ti–6Al–4V implants in vitro, 30

A_{2A} agonist
Reducing joint destruction due to septic arthrosis using an adenosine$_{2A}$ receptor agonist, 427

Alginate
FGF-2 enhances TGF-β1-induced periosteal chondrogenesis, 1114
In vivo study of biodegradable alginate antibiotic beads in rabbits, 592

Allograft
The sensitivity of tibiofemoral contact pressure to the size and shape of the lateral and medial menisci, 807
The use of OP-1 in femoral impaction grafting in a sheep model, 1008

Allografts
A novel murine segmental femoral graft model, 1254

Angiogenesis
Acceleration of surgical angiogenesis in necrotic bone with a single injection of fibroblast growth factor-2 (FGF-2), 509
Hypoxia induces HIF-1α and VEGF expression in chondrosarcoma cells and chondrocytes, 1175
Matrix metalloproteinase-9 expression, tartrate-resistant acid phosphatase activity, and DNA fragmentation in vascular and cellular invasion into cartilage preceding primary endochondral ossification in long bones, 1050
Sequential dynamics of inflammatory cytokine, angiogenesis inducing factor and matrix degrading enzymes during spontaneous resorption of the herniated disc, 895

Animal experiment
Hyaline cartilage degenerates after autologous osteochondral transplantation, 1210

Animal model
Anabolic and catabolic mRNA levels of the intervertebral disc vary with the magnitude and frequency of in vivo dynamic compression, 1193
Neuromuscular electrical stimulation enhances fracture healing: results of an animal model, 382
The influence of cyclic compression and distraction on the healing of experimental tibial fractures, 709

Animal models
Adhesion of *Staphylococcus* to orthopaedic metals, an in vivo study, 39

Annulus fibrosus
Theoretical model and experimental results for the nonlinear elastic behavior of human annulus fibrosus, 901

Anterior cruciate ligament
Antiresorptive therapy conserves some periarticular bone and ligament mechanical properties after anterior cruciate ligament disruption in the rabbit knee, 942
Distribution of in situ forces in the anterior cruciate ligament in response to rotatory loads, 85
Femoro-tibial and menisco-tibial translation patterns in patients with unilateral anterior cruciate ligament deficiency—a potential cause of secondary meniscal tears, 275
In situ forces of the anterior and posterior cruciate ligaments in high knee flexion: an in vitro investigation, 293
Twist and its effect on ACL graft forces, 963

Anterior knee pain
Knee flexion during stair ambulation is altered in individuals with patellofemoral pain, 267

Anterior–posterior translation
Secondary motions of the knee during weight bearing and non-weight bearing activities, 794

Antibiotic
Bactericidal activity of antimicrobial coated polyurethane sleeves for external fixation pins, 671

A–P translation
Instrumented measurement of in vivo anterior–posterior translation in the canine knee to assess anterior cruciate integrity, 949

Apoptosis
Attenuation of apoptosis and enhancement of proteoglycan synthesis in rabbit cartilage defects by hyperbaric oxygen

treatment are related to the suppression of nitric oxide production, 1126
Chondrocyte apoptosis induced by collagen degradation: inhibition by caspase inhibitors and IGF-1, 140
Chondrocyte apoptosis induced by hydrogen peroxide requires caspase activation but not mitochondrial pore transition, 1120
Comparison of chondrocyte apoptosis in vivo and in vitro following acute osteochondral injury, 678
Experimental ischemia of porcine growth cartilage produces lesions of osteochondrosis, 1201
Targeting of EWS/FLI-1 by RNA interference attenuates the tumor phenotype of Ewing's sarcoma cells in vitro, 910
The use of a non-ionic surfactant (P188) to save chondrocytes from necrosis following impact loading of chondral explants, 1135

Arthritis
Comparison of chondrocyte apoptosis in vivo and in vitro following acute osteochondral injury, 678
The effect of capsular tightening on humeral head translations, 194

Arthroplasty
Long stemmed total knee arthroplasty with interlocking screws: a computational bone adaptation study, 51
The use of OP-1 in femoral impaction grafting in a sheep model, 1008

Arthrosis
Reducing joint destruction due to septic arthrosis using an adenosine$_{2A}$ receptor agonist, 427

Articular cartilage
Chondrocyte viability in press-fit cryopreserved osteochondral allografts, 781
Crosslinking density influences the morphology of chondrocytes photoencapsulated in PEG hydrogels during the application of compressive strain, 1143
Intramatrix events during cryopreservation of porcine articular cartilage using rapid cooling, 152
Proteoglycan and collagen sensitive MRI evaluation of normal and degenerated articular cartilage, 557
Zonal and topographical differences in articular cartilage gene expression, 1182

Articular cartilage repair
The use of debrided human articular cartilage for autologous chondrocyte implantation: maintenance of chondrocyte differentiation and proliferation in type I collagen gels, 446

Asymmetries
The effect of total hip arthroplasty surgical approach on gait, 44

Atrophy
A pathomechanical concept explains muscle loss and fatty muscular changes following surgical tendon release, 1004

Autografts
A novel murine segmental femoral graft model, 1254

Autologous osteochondral graft
Hyaline cartilage degenerates after autologous osteochondral transplantation, 1210

Autologous osteochondral transplantation
Hyaline cartilage degenerates after autologous osteochondral transplantation, 1210

Axon reaction
Pathology of lumbar nerve root compression Part 2: morphological and immunohistochemical changes of dorsal root ganglion, 180

Bacterial colonization
Bactericidal activity of antimicrobial coated polyurethane sleeves for external fixation pins, 671

Basic fibroblast growth factor
Serum-free media for periosteal chondrogenesis in vitro, 716

Bi-directional
Bi-directional mechanical properties of the human forearm interosseous ligament, 607

Bilateral symmetry
Predicting shoulder strength using allometry: implications for shoulder outcome assessments, 884

Biodegradable antibiotic beads
In vivo study of biodegradable alginate antibiotic beads in rabbits, 592

Biodegradable implants
Prevention and treatment of experimental osteomyelitis in dogs with ciprofloxacin-loaded crosslinked high amylose starch implants, 1351

Biofilms
Adhesion of *Staphylococcus* to orthopaedic metals, an in vivo study, 39

Biomechanics
A three-dimensional MRI analysis of knee kinematics, 283
Antiresorptive therapy conserves some periarticular bone and ligament mechanical properties after anterior cruciate ligament disruption in the rabbit knee, 942
Dynamic loads are determinants of peak bone mass, 339
Multidirectional kinematics of the glenohumeral joint during simulated simple translation tests: impact on clinical diagnoses, 889
Stress relaxation of bone significantly affects the pull-out behavior of pedicle screws, 1243
The compressive creep properties of normal and degenerated murine intervertebral discs, 164
The effect of total hip arthroplasty surgical approach on gait, 44
The role of the cytoskeleton in the viscoelastic properties of human articular chondrocytes, 131

Bisphosphonate
Antiresorptive therapy conserves some periarticular bone and ligament mechanical properties after anterior cruciate ligament disruption in the rabbit knee, 942

Bisphosphonates
Bisphosphonate treatment affects trabecular bone apparent modulus through microarchitecture rather than matrix properties, 465
Systemic and local ibandronate enhance screw fixation, 1108
Topical, single dose bisphosphonate treatment reduced bone resorption in a rat model for prosthetic loosening, 244

Blood supply
Neuromuscular electrical stimulation enhances fracture healing: results of an animal model, 382

Blood vessels
Endochondral ossification in fracture callus during long bone repair: the localisation of 'cavity-lining cells' within the cartilage, 368

BMP
Adenoviral-mediated transfer of human BMP-6 gene accelerates healing in a rabbit ulnar osteotomy model, 1261
Locally delivered rhBMP-2 enhances bone ingrowth and gap healing in a canine model, 58
The use of OP-1 in femoral impaction grafting in a sheep model, 1008

BMP-2
Bone healing in the rat and dog with nonglycosylated BMP-2 demonstrating low solubility in fibrin matrices, 376
Evaluation of Ad-BMP-2 for enhancing fracture healing in an infected defect fracture rabbit model, 66

Bone
Acceleration of surgical angiogenesis in necrotic bone with a single injection of fibroblast growth factor-2 (FGF-2), 509
Bone tissue engineering in a critical size defect compared to ectopic implantations in the goat, 544
Genetic marking with the ΔLNGFR-gene for tracing goat cells in bone tissue engineering, 697
Predicting stress fractures using a probabilistic model of damage, repair and adaptation, 487
The effect of osteogenic growth factors on bone growth into a ceramic filled defect around an implant, 1016

Bone bridge
Intramembranous ossification mechanism for bone bridge formation at the growth plate cartilage injury site, 417
Stem cell repair of physeal cartilage, 1215

Bone cement
Bioactive cement or ceramic/porous coating vs. conventional cement to obtain early stability of the acetabular cup Randomised study of 96 hips followed with radiostereometry, 1035

Bone defect
Bone healing in the rat and dog with nonglycosylated BMP-2 demonstrating low solubility in fibrin matrices, 376

Bone grafting
Viable osteoblastic potential of cortical reamings from intramedullary nailing, 1271

Bone growth
Viable osteoblastic potential of cortical reamings from intramedullary nailing, 1271

Bone histomorphometry
Mechanical interface conditions affect morphology and cellular activity of sclerotic bone rims forming around experimental loaded implants, 647

Bone ingrowth
Locally delivered rhBMP-2 enhances bone ingrowth and gap healing in a canine model, 58
Mechanical interface conditions affect morphology and cellular activity of sclerotic bone rims forming around experimental loaded implants, 647

Bone matrix mineralization
Bisphosphonate treatment affects trabecular bone apparent modulus through micro-architecture rather than matrix properties, 465

Bone metastasis
Bone resorption activity of osteolytic metastatic lung and breast cancers, 1161

Bone micro-architecture
Bisphosphonate treatment affects trabecular bone apparent modulus through micro-architecture rather than matrix properties, 465

Bone mineral density
Antiresorptive therapy conserves some periarticular bone and ligament mechanical properties after anterior cruciate ligament disruption in the rabbit knee, 942
Dynamic loads are determinants of peak bone mass, 339
Mechanical properties of the scapholunate ligament correlate with bone mineral density measurements of the hand, 867

Bone morphogenetic proteins
Altered hypertrophic chondrocyte kinetics in GDF-5 deficient murine tibial growth plates, 552
Expression of bone morphogenetic proteins, receptors, and tissue inhibitors in human fetal, adult, and osteoarthritic articular cartilage, 1188

Bone morphology
Effect of cortical thickness and cancellous bone density on the holding strength of internal fixator screws, 1237

Bone regeneration
Intermittent parathyroid hormone (1–34) enhances mechanical strength and density of new bone after distraction osteogenesis in rats, 472
Locally delivered rhBMP-2 enhances bone ingrowth and gap healing in a canine model, 58

Bone resorption
Bone mass is preserved in a critical-sized osteotomy by low energy pulsed electromagnetic fields as quantitated by in vivo micro-computed tomography, 1086
Topical, single dose bisphosphonate treatment reduced bone resorption in a rat model for prosthetic loosening, 244

Bone resorption activity (BRA)
Bone resorption activity of osteolytic metastatic lung and breast cancers, 1161

Bone sialoprotein
Bone sialoprotein-coated femoral implants are osteoinductive but mechanically compromised, 641
Osteoblast-like cell adhesion to bone sialoprotein peptides, 353

Bone stimulation
Effects of timing of low-intensity pulsed ultrasound on distraction osteogenesis, 395

Bone strength
Effects of h-PTH on cancellous bone mass, connectivity, and bone strength in ovariectomized rats with and without sciatic-neurectomy, 457

Bone–patellar tendon–bone graft
Twist and its effect on ACL graft forces, 963

Boundary lubricant
Experimental verification of the role of interstitial fluid pressurization in cartilage lubrication, 565

^{45}Ca release
Bone resorption activity of osteolytic metastatic lung and breast cancers, 1161

Cadaveric
The fundamental thumb-tip force vectors produced by the muscles of the thumb, 306

Calcium imaging
Oscillatory fluid flow affects human marrow stromal cell proliferation and differentiation, 1283

Calcium phosphate
Interactions of cisplatin with calcium phosphate nanoparticles: in vitro controlled adsorption and release, 703

Calcium phosphate scaffold
Self-hardening calcium phosphate composite scaffold for bone tissue engineering, 535

Callus
Early callus of fractured rib of rat contracts and relaxes ex vivo, 1063

Callus formation
The influence of cyclic compression and distraction on the healing of experimental tibial fractures, 709

Calvarium
The effectiveness of polyethylene versus titanium particles in inducing osteolysis in vivo, 237

Canine
Instrumented measurement of in vivo anterior–posterior translation in the canine knee to assess anterior cruciate integrity, 949
Kinematics of the ACL-deficient canine knee during gait: serial changes over two years, 931
Locally delivered rhBMP-2 enhances bone ingrowth and gap healing in a canine model, 58

Capsular shrinkage
Neuronal regeneration after application of radiofrequency energy to collagenous tissue is affected by limb immobilization: an in vivo animal study, 1345

Capsule
The effect of capsular tightening on humeral head translations, 194

Cartilage
A silencer element in the cartilage oligomeric matrix protein gene regulates chondrocyte-specific expression, 751
Cartilage injury by ramp compression near the gel diffusion rate, 145
Chondrocyte apoptosis induced by hydrogen peroxide requires caspase activation but not mitochondrial pore transition, 1120
Comparison of chondrocyte apoptosis in vivo and in vitro following acute osteochondral injury, 678
Endochondral ossification in fracture callus during long bone repair: the localisation of 'cavity-lining cells' within the cartilage, 368
Experimental ischemia of porcine growth cartilage produces lesions of osteochondrosis, 1201
Experimental verification of the role of interstitial fluid pressurization in cartilage lubrication, 565
Expression of bone morphogenetic proteins, receptors, and tissue inhibitors in human fetal, adult, and osteoarthritic articular cartilage, 1188
Matrix metalloproteinase-9 expression, tartrate-resistant acid phosphatase activity, and DNA fragmentation in vascular and cellular invasion into cartilage preceding primary endochondral ossification in long bones, 1050
Targeted delivery of progenitor cells for cartilage repair, 735

The use of a non-ionic surfactant (P188) to save chondrocytes from necrosis following impact loading of chondral explants, 1135

Cartilage damage
Strength and voluntary activation of the quadriceps femoris muscle at different severities of osteoarthritic knee joint damage, 96

Cartilage injury
The use of a non-ionic surfactant (P188) to save chondrocytes from necrosis following impact loading of chondral explants, 1135

Cartilage metabolism
Hypoxia induces HIF-1α and VEGF expression in chondrosarcoma cells and chondrocytes, 1175

Cartilage tissue engineering
FGF-2 enhances TGF-β1-induced periosteal chondrogenesis, 1114

Caspase
Chondrocyte apoptosis induced by collagen degradation: inhibition by caspase inhibitors and IGF-1, 140
Chondrocyte apoptosis induced by hydrogen peroxide requires caspase activation but not mitochondrial pore transition, 1120

Cbfa1
Altered Cbfa1 expression and biomineralization in an osteosarcoma cell line, 404
Distraction osteogenesis in the Cbfa-$1^{+/-}$ mouse, 1276

CD31 and CD34
Endochondral ossification in fracture callus during long bone repair: the localisation of 'cavity-lining cells' within the cartilage, 368

CD44v5
Expression of the CD44 variant isoform 5 in the human osteoarthritic knee joint: correlation with radiological, histomorphological, and biochemical parameters, 774

Cdc42
Insulin-like growth factor-I diminishes the activation status and expression of the small GTPase Cdc42 in articular chondrocytes, 436

cDNA microarray
Gene expression of periostin in the early stage of fracture healing detected by cDNA microarray analysis, 520

Cell adhesion
Osteoblast-like cell adhesion to bone sialoprotein peptides, 353

Cell culture
Self-hardening calcium phosphate composite scaffold for bone tissue engineering, 535
The use of debrided human articular cartilage for autologous chondrocyte implantation: maintenance of chondrocyte differentiation and proliferation in type I collagen gels, 446

Cell death
The use of a non-ionic surfactant (P188) to save chondrocytes from necrosis following impact loading of chondral explants, 1135

Cell deformation
Crosslinking density influences the morphology of chondrocytes photoencapsulated in PEG hydrogels during the application of compressive strain, 1143

Cell mechanics
The role of the cytoskeleton in the viscoelastic properties of human articular chondrocytes, 131

Cell survival
Genetic marking with the ΔLNGFR-gene for tracing goat cells in bone tissue engineering, 697

Cells
Bone tissue engineering in a critical size defect compared to ectopic implantations in the goat, 544

Cement
Early cementing does not increase debond energy of grit blasted interfaces, 822

Cement–bone interface
Creep dominates tensile fatigue damage of the cement–bone interface, 633

Ceramic
The effect of osteogenic growth factors on bone growth into a ceramic filled defect around an implant, 1016

Ceramic particles
Comparison of the response of primary human blood monocytes and the U937 human monocytic cell line to two different sizes of alumina ceramic particles, 832

Cerebral palsy
Overstretching of sarcomeres may not cause cerebral palsy muscle contracture, 1331

Chemical modification
Reducing friction by chemically modifying the surface of extrasynovial tendon grafts, 984

Chondroclasts
Matrix metalloproteinase-9 expression, tartrate-resistant acid phosphatase activity, and DNA fragmentation in vascular and cellular invasion into cartilage preceding primary endochondral ossification in long bones, 1050

Chondrocyte
Altered hypertrophic chondrocyte kinetics in GDF-5 deficient murine tibial growth plates, 552
Chondrocyte apoptosis induced by collagen degradation: inhibition by caspase inhibitors and IGF-1, 140
Crosslinking density influences the morphology of chondrocytes photoencapsulated in PEG hydrogels during the application of compressive strain, 1143
Insulin-like growth factor-I diminishes the activation status and expression of the small GTPase Cdc42 in articular chondrocytes, 436
The use of debrided human articular cartilage for autologous chondrocyte implantation: maintenance of chondrocyte differentiation and proliferation in type I collagen gels, 446

Chondrocyte biology
Transforming growth factor-β1 induced alteration of skeletal morphogenesis in vivo, 687

Chondrocyte maturation
Transforming growth factor-β1 induced alteration of skeletal morphogenesis in vivo, 687

Chondrocyte proliferation
Transforming growth factor-β1 induced alteration of skeletal morphogenesis in vivo, 687

Chondrogenesis
Serum-free media for periosteal chondrogenesis in vitro, 716

Chondrosarcoma
Hypoxia induces HIF-1α and VEGF expression in chondrosarcoma cells and chondrocytes, 1175

Ciprofloxacin
Prevention and treatment of experimental osteomyelitis in dogs with ciprofloxacin-loaded crosslinked high amylose starch implants, 1351

Cisplatin
Interactions of cisplatin with calcium phosphate nanoparticles: in vitro controlled adsorption and release, 703

Clinical exam
Multidirectional kinematics of the glenohumeral joint during simulated simple translation tests: impact on clinical diagnoses, 889

Co–Cr–Mo alloy
In vitro biocorrosion of Co–Cr–Mo implant alloy by macrophage cells, 1231

Cobalt-alloy
Differences in the fretting corrosion of metal–metal and ceramic–metal modular junctions of total hip replacements, 250

Collagen
Abnormal tenocyte morphology is more prevalent than collagen disruption in asymptomatic athletes' patellar tendons, 334
Chondrocyte apoptosis induced by collagen degradation: inhibition by caspase inhibitors and IGF-1, 140
Coating of titanium implants with type-I collagen, 1025
The use of debrided human articular cartilage for autologous chondrocyte implantation: maintenance of chondrocyte differentiation and proliferation in type I collagen gels, 446

Comparison
Shoulder prostheses treating cuff tear arthropathy: a comparative biomechanical study, 1222

Component orientation
Compliant positioning of total hip components for optimal range of motion, 815

Compression
Cartilage injury by ramp compression near the gel diffusion rate, 145
Pathology of lumbar nerve root compression Part 2: morphological and immunohistochemical changes of dorsal root ganglion, 180

Computer testing
Shoulder prostheses treating cuff tear arthropathy: a comparative biomechanical study, 1222

Contact pressure
The effect of tibiofemoral joint kinematics on patellofemoral contact pressures under simulated muscle loads, 801

Contraction
Early callus of fractured rib of rat contracts and relaxes ex vivo, 1063

Contracture
Overstretching of sarcomeres may not cause cerebral palsy muscle contracture, 1331

Controlled release
Bone healing in the rat and dog with nonglycosylated BMP-2 demonstrating low solubility in fibrin matrices, 376

Coracoacromial ligament
Reflexes in the shoulder muscles elicited from the human coracoacromial ligament, 976

Corrosion
Differences in the fretting corrosion of metal–metal and ceramic–metal modular junctions of total hip replacements, 250
In vitro biocorrosion of Co–Cr–Mo implant alloy by macrophage cells, 1231

Coxa valga
Mechanobiological predictions of growth front morphology in developmental hip dysplasia, 346

Creep
Creep dominates tensile fatigue damage of the cement–bone interface, 633
The compressive creep properties of normal and degenerated murine intervertebral discs, 164

Cross-linking
Reducing friction by chemically modifying the surface of extrasynovial tendon grafts, 984

Cryopreservation
Chondrocyte viability in press-fit cryopreserved osteochondral allografts, 781
Intramatrix events during cryopreservation of porcine articular cartilage using rapid cooling, 152

CT
Measurement of changes in trabecular bone at fracture sites using X-ray CT and automated image registration and processing, 362

3-D CT simulation
Effects of rotation on measurement of lower limb alignment for knee osteotomy, 1248

Cutaneous sensation
The role of cutaneous sensation in the motor function of the hand, 862

CXCR4
Targeting of EWS/FLI-1 by RNA interference attenuates the tumor phenotype of Ewing's sarcoma cells in vitro, 910

Cyclic stretching
Cyclic strain influences the expression of the vascular endothelial growth factor (VEGF) and the hypoxia inducible factor 1 alpha (HIF-1α) in tendon fibroblasts, 847

Cytokines
Comparison of the response of primary human blood monocytes and the U937 human monocytic cell line to two different sizes of alumina ceramic particles, 832
Production of consistent crush lesions in murine quadriceps muscle—A biomechanical, histomorphological and immunohistochemical study, 1336

Cytoskeleton
Ex vivo static tensile loading inhibits MMP-1 expression in rat tail tendon cells through a cytoskeletally based mechanotransduction mechanism, 328

Degeneration
Hyaline cartilage degenerates after autologous osteochondral transplantation, 1210
Motion-based tendon diagnosis using sequence processing of ultrasound images, 1296
The compressive creep properties of normal and degenerated murine intervertebral discs, 164

Delayed
Cellular and molecular characterization of a murine non-union model, 1100

Developmental dysplasia of the hip
Mechanobiological predictions of growth front morphology in developmental hip dysplasia, 346

Dexamethasone
Early osteoblastic differentiation induced by dexamethasone enhances adenoviral gene delivery to marrow stromal cells, 411

Diagnosis
Motion-based tendon diagnosis using sequence processing of ultrasound images, 1296

Differentiation
A silencer element in the cartilage oligomeric matrix protein gene regulates chondrocyte-specific expression, 751
Oscillatory fluid flow affects human marrow stromal cell proliferation and differentiation, 1283

Dislocation
A novel system of four-dimensional motion analysis after total hip arthroplasty, 665
Compliant positioning of total hip components for optimal range of motion, 815

Distraction
Cellular and molecular characterization of a murine non-union model, 1100

Distraction osteogenesis
Distraction osteogenesis in the Cbfa-$1^{+/-}$ mouse, 1276
Effects of timing of low-intensity pulsed ultrasound on distraction osteogenesis, 395
Intermittent parathyroid hormone (1–34) enhances mechanical strength and density of new bone after distraction osteogenesis in rats, 472

Dorsal root ganglia
Pathology of lumbar nerve root compression Part 2: morphological and immunohistochemical changes of dorsal root ganglion, 180

Drug delivery
Interactions of cisplatin with calcium phosphate nanoparticles: in vitro controlled adsorption and release, 703
Long-term effects of local growth factor (IGF-I and TGF-β1) treatment on fracture healing A safety study for using growth factors, 514

DXA
Dynamic loads are determinants of peak bone mass, 339

Dynamic envelope
Secondary motions of the knee during weight bearing and non-weight bearing activities, 794

Ectopic
Bone tissue engineering in a critical size defect compared to ectopic implantations in the goat, 544

Ectopic bone
Mesenchymal stem cells used for rabbit tendon repair can form ectopic bone and express alkaline phosphatase activity in constructs, 998

Ectrodactyly
p63 gene analysis in Mexican patients with syndromic and non-syndromic ectrodactyly, 1

EEC syndrome
p63 gene analysis in Mexican patients with syndromic and non-syndromic ectrodactyly, 1

Elastic
Theoretical model and experimental results for the nonlinear elastic behavior of human annulus fibrosus, 901

Electrical stimulation
Neuromuscular electrical stimulation enhances fracture healing: results of an animal model, 382

Embryonic limb development
Transforming growth factor-β1 induced alteration of skeletal morphogenesis in vivo, 687

EMG
Electromyographic activity and strength during maximum isometric pronation and supination efforts in healthy adults, 208
Measuring myoelectric fatigue of the serratus anterior in healthy subjects and patients with long thoracic nerve palsy, 872
The role of cutaneous sensation in the motor function of the hand, 862

Endochondral ossification
Altered hypertrophic chondrocyte kinetics in GDF-5 deficient murine tibial growth plates, 552
Distraction osteogenesis in the Cbfa-$1^{+/-}$ mouse, 1276
Mechanobiological predictions of growth front morphology in developmental hip dysplasia, 346

Enhancement
Locally delivered rhBMP-2 enhances bone ingrowth and gap healing in a canine model, 58

Epicondylalgia
Neurokinin 1-receptors and sensory neuropeptides in tendon insertions at the medial and lateral epicondyles of the humerus Studies on tennis elbow and medial epicondylalgia, 321

Erythromycin
Erythromycin inhibits wear debris-induced osteoclastogenesis by modulation of murine macrophage NF-κB activity, 21

Ethylene oxide
Viruses adsorbed on musculoskeletal allografts are inactivated by terminal ethylene oxide disinfection, 1358

Ewing's sarcoma
Targeting of EWS/FLI-1 by RNA interference attenuates the tumor phenotype of Ewing's sarcoma cells in vitro, 910

Experimental pain
The nature of anterior knee pain following injection of hypertonic saline into the infrapatellar fat pad, 116

Experimental study
Experimental ischemia of porcine growth cartilage produces lesions of osteochondrosis, 1201

External fixator
Comparison of unreamed nailing and external fixation of tibial diastases—mechanical conditions during healing and biological outcome, 1072

Extrasynovial tendon
Reducing friction by chemically modifying the surface of extrasynovial tendon grafts, 984

Failure
Failure of trabecular bone with simulated lytic defects can be predicted non-invasively by structural analysis, 479

Failure of voluntary activation
Quadriceps femoris muscle weakness and activation failure in patients with symptomatic knee osteoarthritis, 110

Fatigue
Creep dominates tensile fatigue damage of the cement–bone interface, 633

Fatty muscle infiltration
A pathomechanical concept explains muscle loss and fatty muscular changes following surgical tendon release, 1004

FDG PET
Evaluation of muscle metabolic activity in the lower limb of a transfemoral amputee using a prosthesis by using ^{18}F-FDG PET imaging—an application of PET imaging to rehabilitation, 878

Femur
The use of OP-1 in femoral impaction grafting in a sheep model, 1008

Fetal
Expression of bone morphogenetic proteins, receptors, and tissue inhibitors in human fetal, adult, and osteoarthritic articular cartilage, 1188

FGF
Acceleration of surgical angiogenesis in necrotic bone with a single injection of fibroblast growth factor-2 (FGF-2), 509

FGF (fibroblast growth factor)
FGF-2 enhances TGF-β1-induced periosteal chondrogenesis, 1114

Fibrin
Bone healing in the rat and dog with nonglycosylated BMP-2 demonstrating low solubility in fibrin matrices, 376

Fibrous
Cellular and molecular characterization of a murine non-union model, 1100

Fibular collateral ligament
Assessment of healing of grade III posterolateral corner injuries: an in vivo model, 970

Finger
The fundamental thumb-tip force vectors produced by the muscles of the thumb, 306

Finite element model
Mechanobiological predictions of growth front morphology in developmental hip dysplasia, 346

Finite element modeling
Mechanical environment alters tissue formation patterns during fracture repair, 1079

Fixation
Bioactive cement or ceramic/porous coating vs. conventional cement to obtain early stability of the acetabular cup Randomised study of 96 hips followed with radiostereometry, 1035
Long stemmed total knee arthroplasty with interlocking screws: a computational bone adaptation study, 51
Systemic and local ibandronate enhance screw fixation, 1108

Fluoride
Bioactive cement or ceramic/porous coating vs. conventional cement to obtain early stability of the acetabular cup Randomised study of 96 hips followed with radiostereometry, 1035

Fluoroscopy
In vivo kinematics of mobile-bearing knee arthroplasty in deep knee bending motion, 1044

Force–length curve
Overstretching of sarcomeres may not cause cerebral palsy muscle contracture, 1331

Forearm
Electromyographic activity and strength during maximum isometric pronation and supination efforts in healthy adults, 208

Fracture
Early cementing does not increase debond energy of grit blasted interfaces, 822
Endochondral ossification in fracture callus during long bone repair: the localisation of 'cavity-lining cells' within the cartilage, 368
Viable osteoblastic potential of cortical reamings from intramedullary nailing, 1271

Fracture biomechanics
The influence of cyclic compression and distraction on the healing of experimental tibial fractures, 709

Fracture healing
Adenoviral-mediated transfer of human BMP-6 gene accelerates healing in a rabbit ulnar osteotomy model, 1261
Bone mass is preserved in a critical-sized osteotomy by low energy pulsed electromagnetic fields as quantitated by in vivo micro-computed tomography, 1086
Comparison of unreamed nailing and external fixation of tibial diastases—mechanical conditions during healing and biological outcome, 1072
Long-term effects of local growth factor (IGF-I and TGF-β1) treatment on fracture healing A safety study for using growth factors, 514
Measurement of changes in trabecular bone at fracture sites using X-ray CT and automated image registration and processing, 362

Mechanical environment alters tissue formation patterns during fracture repair, 1079
Neuromuscular electrical stimulation enhances fracture healing: results of an animal model, 382
Recruitment of mesenchymal stem cells and expression of TGF-β1 and VEGF in the early stage of shock wave-promoted bone regeneration of segmental defect in rats, 526
The influence of cyclic compression and distraction on the healing of experimental tibial fractures, 709

Fracture repair
Early callus of fractured rib of rat contracts and relaxes ex vivo, 1063
Gene expression of periostin in the early stage of fracture healing detected by cDNA microarray analysis, 520

Fracture treatment
Effect of cortical thickness and cancellous bone density on the holding strength of internal fixator screws, 1237

Fractures non-united
Bone mass is preserved in a critical-sized osteotomy by low energy pulsed electromagnetic fields as quantitated by in vivo micro-computed tomography, 1086

Fretting
Differences in the fretting corrosion of metal–metal and ceramic–metal modular junctions of total hip replacements, 250

Friction
Experimental verification of the role of interstitial fluid pressurization in cartilage lubrication, 565
Reducing friction by chemically modifying the surface of extrasynovial tendon grafts, 984

Full-thickness defects
Attenuation of apoptosis and enhancement of proteoglycan synthesis in rabbit cartilage defects by hyperbaric oxygen treatment are related to the suppression of nitric oxide production, 1126

Functional tissue engineering
The use of porcine small intestinal submucosa to enhance the healing of the medial collateral ligament—a functional tissue engineering study in rabbits, 214

Fusion image
Evaluation of muscle metabolic activity in the lower limb of a transfemoral amputee using a prosthesis by using ^{18}F-FDG PET imaging—an application of PET imaging to rehabilitation, 878

Gait
Knee flexion during stair ambulation is altered in individuals with patellofemoral pain, 267
The effect of total hip arthroplasty surgical approach on gait, 44

Gait analysis
Dynamic loads are determinants of peak bone mass, 339
Pre-surgery knee joint loading patterns during walking predict the presence and severity of anterior knee pain after total knee arthroplasty, 260

GAP
Insulin-like growth factor-I diminishes the activation status and expression of the small GTPase Cdc42 in articular chondrocytes, 436

T_1–Gd-DTPA
Proteoglycan and collagen sensitive MRI evaluation of normal and degenerated articular cartilage, 557

GDF-5
Altered hypertrophic chondrocyte kinetics in GDF-5 deficient murine tibial growth plates, 552

GEF.
Insulin-like growth factor-I diminishes the activation status and expression of the small GTPase Cdc42 in articular chondrocytes, 436

3-D geometrical shoulder model
Shoulder prostheses treating cuff tear arthropathy: a comparative biomechanical study, 1222

Gender
The effects of patient age on human osteoblasts' response to Ti–6Al–4V implants in vitro, 30

Gene expression
Anabolic and catabolic mRNA levels of the intervertebral disc vary with the magnitude and frequency of in vivo dynamic compression, 1193
Gene expression of periostin in the early stage of fracture healing detected by cDNA microarray analysis, 520
Zonal and topographical differences in articular cartilage gene expression, 1182

Gene therapy
Adenoviral-mediated transfer of human BMP-6 gene accelerates healing in a rabbit ulnar osteotomy model, 1261
Early osteoblastic differentiation induced by dexamethasone enhances adenoviral gene delivery to marrow stromal cells, 411
Evaluation of Ad-BMP-2 for enhancing fracture healing in an infected defect fracture rabbit model, 66
Suppression of early experimental osteoarthritis by gene transfer of interleukin-1 receptor antagonist and interleukin-10, 742

Gentamicin
Bactericidal activity of antimicrobial coated polyurethane sleeves for external fixation pins, 671

Geometry
The sensitivity of tibiofemoral contact pressure to the size and shape of the lateral and medial menisci, 807

Glenohumeral joint
Multidirectional kinematics of the glenohumeral joint during simulated simple translation tests: impact on clinical diagnoses, 889
The radiographic study in the relationship of the glenohumeral joint, 298

Glenoid
Glenoid version and rotator cuff tears, 202

Glycosylation
Bone healing in the rat and dog with nonglycosylated BMP-2 demonstrating low solubility in fibrin matrices, 376

Goat
Bone tissue engineering in a critical size defect compared to ectopic implantations in the goat, 544

Gradual elongation
Internodes can nearly double in length with gradual elongation of the adult rat sciatic nerve, 571

Graft force
Twist and its effect on ACL graft forces, 963

Growth arrest
Stem cell repair of physeal cartilage, 1215

Growth factor
Cyclic strain influences the expression of the vascular endothelial growth factor (VEGF) and the hypoxia inducible factor 1 alpha (HIF-1α) in tendon fibroblasts, 847

Growth factors
The effect of osteogenic growth factors on bone growth into a ceramic filled defect around an implant, 1016

Growth hormone
Serum-free media for periosteal chondrogenesis in vitro, 716

Growth plate
Altered hypertrophic chondrocyte kinetics in GDF-5 deficient murine tibial growth plates, 552

Growth plate or physis injury
Intramembranous ossification mechanism for bone bridge formation at the growth plate cartilage injury site, 417

Growth/differentiation factors
Altered hypertrophic chondrocyte kinetics in GDF-5 deficient murine tibial growth plates, 552

Hand
The fundamental thumb-tip force vectors produced by the muscles of the thumb, 306

Handwriting task
The role of cutaneous sensation in the motor function of the hand, 862

hBMP-2
Early osteoblastic differentiation induced by dexamethasone enhances adenoviral gene delivery to marrow stromal cells, 411

Healing
Cellular and molecular characterization of a murine non-union model, 1100
The use of porcine small intestinal submucosa to enhance the healing of the medial collateral ligament—a functional tissue engineering study in rabbits, 214

Herniated disc
Sequential dynamics of inflammatory cytokine, angiogenesis inducing factor and matrix degrading enzymes during spontaneous resorption of the herniated disc, 895

High flexion
In situ forces of the anterior and posterior cruciate ligaments in high knee flexion: an in vitro investigation, 293
Kinematics of the knee at high flexion angles: an in vitro investigation, 90

High tibial osteotomy
Effects of rotation on measurement of lower limb alignment for knee osteotomy, 1248

Hip
Dynamic loads are determinants of peak bone mass, 339
The use of OP-1 in femoral impaction grafting in a sheep model, 1008

Hip implant
New insight into the mechanism of hip prosthesis loosening: effect of titanium debris size on osteoblast function, 229

Histopathology
Abnormal tenocyte morphology is more prevalent than collagen disruption in asymptomatic athletes' patellar tendons, 334

Human
The use of debrided human articular cartilage for autologous chondrocyte implantation: maintenance of chondrocyte differentiation and proliferation in type I collagen gels, 446

Human parathyroid hormone
Effects of h-PTH on cancellous bone mass, connectivity, and bone strength in ovariectomized rats with and without sciatic-neurectomy, 457

Hyaline cartilage
Hyaline cartilage degenerates after autologous osteochondral transplantation, 1210

Hydroxyapatite
Interactions of cisplatin with calcium phosphate nanoparticles: in vitro controlled adsorption and release, 703
Self-hardening calcium phosphate composite scaffold for bone tissue engineering, 535

Hyperbaric oxygen
Attenuation of apoptosis and enhancement of proteoglycan synthesis in rabbit cartilage defects by hyperbaric oxygen treatment are related to the suppression of nitric oxide production, 1126

Hypoxia
Hypoxia induces HIF-1α and VEGF expression in chondrosarcoma cells and chondrocytes, 1175

Ibuprofen
Ibuprofen inhibition of tendon cell proliferation and upregulation of the cyclin kinase inhibitor $p21^{CIP1}$, 586

IGF-I
Extracorporeal shock waves promote healing of collagenase-induced Achilles tendinitis and increase TGF-β1 and IGF-I expression, 854
Insulin-like growth factor-I diminishes the activation status and expression of the small GTPase Cdc42 in articular chondrocytes, 436
Long-term effects of local growth factor (IGF-I and TGF-β1) treatment on fracture healing
A safety study for using growth factors, 514

IkB inhibitors
NF-kB signaling blockade abolishes implant particle-induced osteoclastogenesis, 13

IL-1
Interleukin-4 and interleukin-13 potentiate interleukin-1 induced secretion of interleukin-6 in human osteoblast-like cells, 1058

IL-1β
Production of consistent crush lesions in murine quadriceps muscle—A biomechanical, histomorphological and immunohistochemical study, 1336

IL-13
Interleukin-4 and interleukin-13 potentiate interleukin-1 induced secretion of interleukin-6 in human osteoblast-like cells, 1058

IL-4
Interleukin-4 and interleukin-13 potentiate interleukin-1 induced secretion of interleukin-6 in human osteoblast-like cells, 1058

IL-6
Interleukin-4 and interleukin-13 potentiate interleukin-1 induced secretion of interleukin-6 in human osteoblast-like cells, 1058
Production of consistent crush lesions in murine quadriceps muscle—A biomechanical, histomorphological and immunohistochemical study, 1336

Image processing
Measurement of changes in trabecular bone at fracture sites using X-ray CT and automated image registration and processing, 362

Image registration
Measurement of changes in trabecular bone at fracture sites using X-ray CT and automated image registration and processing, 362

Imaging three-dimensional
Bone mass is preserved in a critical-sized osteotomy by low energy pulsed electromagnetic fields as quantitated by in vivo micro-computed tomography, 1086

Immature femoral head
Indentation properties of growing femoral head following ischemic necrosis, 122

Immobilization
Neuronal regeneration after application of radiofrequency energy to collagenous tissue is affected by limb immobilization: an in vivo animal study, 1345

Immunohistochemistry
Coating of titanium implants with type-I collagen, 1025
Neuronal regeneration after application of radiofrequency energy to collagenous tissue is affected by limb immobilization: an in vivo animal study, 1345

Impaction
The use of OP-1 in femoral impaction grafting in a sheep model, 1008

Impingement
The effect of capsular tightening on humeral head translations, 194

Impingement syndrome
Glenoid version and rotator cuff tears, 202

Implant
Early cementing does not increase debond energy of grit blasted interfaces, 822
Systemic and local ibandronate enhance screw fixation, 1108
The effects of patient age on human osteoblasts' response to Ti–6Al–4V implants in vitro, 30

Implant coating
Coating of titanium implants with type-I collagen, 1025

Implant particles
NF-kB signaling blockade abolishes implant particle-induced osteoclastogenesis, 13

Implants
Adhesion of *Staphylococcus* to orthopaedic metals, an in vivo study, 39

In situ force
Distribution of in situ forces in the anterior cruciate ligament in response to rotatory loads, 85

In vivo knee motion
Secondary motions of the knee during weight bearing and non-weight bearing activities, 794

In vivo study
In vivo study of biodegradable alginate antibiotic beads in rabbits, 592

Indentation stiffness
Indentation properties of growing femoral head following ischemic necrosis, 122

Infected defect fracture
Evaluation of Ad-BMP-2 for enhancing fracture healing in an infected defect fracture rabbit model, 66

Inflammation
Sequential dynamics of inflammatory cytokine, angiogenesis inducing factor and matrix degrading enzymes during spontaneous resorption of the herniated disc, 895

Infrapatellar fat pad
The nature of anterior knee pain following injection of hypertonic saline into the infrapatellar fat pad, 116

Injury
Cartilage injury by ramp compression near the gel diffusion rate, 145
Production of consistent crush lesions in murine quadriceps muscle—A biomechanical, histomorphological and immunohistochemical study, 1336

Innervation
Neurokinin 1-receptors and sensory neuropeptides in tendon insertions at the medial and lateral epicondyles of the humerus Studies on tennis elbow and medial epicondylalgia, 321

Inoculation
Adhesion of *Staphylococcus* to orthopaedic metals, an in vivo study, 39

Instability
The effect of capsular tightening on humeral head translations, 194

Insulin-like growth factor
Chondrocyte apoptosis induced by collagen degradation: inhibition by caspase inhibitors and IGF-1, 140

Interface
Early cementing does not increase debond energy of grit blasted interfaces, 822

Interfragmentary micromotion
The influence of cyclic compression and distraction on the healing of experimental tibial fractures, 709

Interfragmentary movements
Comparison of unreamed nailing and external fixation of tibial diastases—mechanical conditions during healing and biological outcome, 1072

Interleukin-1 receptor antagonist
Suppression of early experimental osteoarthritis by gene transfer of interleukin-1 receptor antagonist and interleukin-10, 742

Interleukin-10
Suppression of early experimental osteoarthritis by gene transfer of interleukin-1 receptor antagonist and interleukin-10, 742

Internal fixation
Effect of cortical thickness and cancellous bone density on the holding strength of internal fixator screws, 1237

Internal/external rotation
Secondary motions of the knee during weight bearing and non-weight bearing activities, 794

Internodal length
Internodes can nearly double in length with gradual elongation of the adult rat sciatic nerve, 571

Interosseous
Bi-directional mechanical properties of the human forearm interosseous ligament, 607

Interstitial fluid pressurization
Experimental verification of the role of interstitial fluid pressurization in cartilage lubrication, 565

Intervertebral disc
Anabolic and catabolic mRNA levels of the intervertebral disc vary with the magnitude and frequency of in vivo dynamic compression, 1193
The compressive creep properties of normal and degenerated murine intervertebral discs, 164
Theoretical model and experimental results for the nonlinear elastic behavior of human annulus fibrosus, 901

Intramedullary nailing
Viable osteoblastic potential of cortical reamings from intramedullary nailing, 1271

Intramembranous ossification
Distraction osteogenesis in the Cbfa-$1^{+/-}$ mouse, 1276
Intramembranous ossification mechanism for bone bridge formation at the growth plate cartilage injury site, 417

Invasiveness
Targeting of EWS/FLI-1 by RNA interference attenuates the tumor phenotype of Ewing's sarcoma cells in vitro, 910

Ischemic necrosis
Indentation properties of growing femoral head following ischemic necrosis, 122

Isografts
A novel murine segmental femoral graft model, 1254

Isometric contraction
Measuring myoelectric fatigue of the serratus anterior in healthy subjects and patients with long thoracic nerve palsy, 872

Isometric forces
Properties of the two neuromuscular compartments in a split bipennate muscle, 1325

Jerk
The role of cutaneous sensation in the motor function of the hand, 862

Joint
Suppression of early experimental osteoarthritis by gene transfer of interleukin-1 receptor antagonist and interleukin-10, 742

Joint contact forces
Tibio-femoral loading during human gait and stair climbing, 625

Joint infection
Reducing joint destruction due to septic arthrosis using an adenosine$_{2A}$ receptor agonist, 427

Joint laxity
Instrumented measurement of in vivo anterior–posterior translation in the canine knee to assess anterior cruciate integrity, 949

Joint replacement
The effect of total hip arthroplasty surgical approach on gait, 44

Keratan sulfate
Attenuation of apoptosis and enhancement of proteoglycan synthesis in rabbit cartilage defects by hyperbaric oxygen treatment are related to the suppression of nitric oxide production, 1126

Ketoprofen
Effect of ketoprofen in topical formulation on vascular endothelial growth factor expression and tumor growth in nude mice with osteosarcoma, 1168

Kinematics
A quantitative method to measure maximal workspace of the trapeziometacarpal joint—normal model development, 600
A three-dimensional MRI analysis of knee kinematics, 283
In vivo kinematics of mobile-bearing knee arthroplasty in deep knee bending motion, 1044
Kinematics of the ACL-deficient canine knee during gait: serial changes over two years, 931
Kinematics of the knee at high flexion angles: an in vitro investigation, 90
Multidirectional kinematics of the glenohumeral joint during simulated simple translation tests: impact on clinical diagnoses, 889

Kinetics
In situ forces of the anterior and posterior cruciate ligaments in high knee flexion: an in vitro investigation, 293

Knee
Anatomical analysis of the femoral condyle in normal and osteoarthritic knees, 104
Evaluation of a method to map tibiofemoral contact points in the normal knee using MRI, 788
Femoro-tibial and menisco-tibial translation patterns in patients with unilateral anterior cruciate ligament deficiency—a potential cause of secondary meniscal tears, 275

Instrumented measurement of in vivo anterior–posterior translation in the canine knee to assess anterior cruciate integrity, 949
Kinematics of the knee at high flexion angles: an in vitro investigation, 90
Strength and voluntary activation of the quadriceps femoris muscle at different severities of osteoarthritic knee joint damage, 96
The nature of anterior knee pain following injection of hypertonic saline into the infrapatellar fat pad, 116
The sensitivity of tibiofemoral contact pressure to the size and shape of the lateral and medial menisci, 807

Knee biomechanics
In situ forces of the anterior and posterior cruciate ligaments in high knee flexion: an in vitro investigation, 293

Knee instability
Assessment of healing of grade III posterolateral corner injuries: an in vivo model, 970

Knee joint
A three-dimensional MRI analysis of knee kinematics, 283
Expression of the CD44 variant isoform 5 in the human osteoarthritic knee joint: correlation with radiological, histomorphological, and biochemical parameters, 774

Knee kinematics
Distribution of in situ forces in the anterior cruciate ligament in response to rotatory loads, 85
The effect of tibiofemoral joint kinematics on patellofemoral contact pressures under simulated muscle loads, 801

Knee motion
Evaluation of a method to map tibiofemoral contact points in the normal knee using MRI, 788
Knee flexion during stair ambulation is altered in individuals with patellofemoral pain, 267

Knee osteoarthritis
Quadriceps femoris muscle weakness and activation failure in patients with symptomatic knee osteoarthritis, 110

Knee physiology
Evaluation of a method to map tibiofemoral contact points in the normal knee using MRI, 788

Lateral glenohumeral offset
The radiographic study in the relationship of the glenohumeral joint, 298

Leg lengthening
Internodes can nearly double in length with gradual elongation of the adult rat sciatic nerve, 571

Legg–Calve–Perthes disease
Indentation properties of growing femoral head following ischemic necrosis, 122

Ligament
Bi-directional mechanical properties of the human forearm interosseous ligament, 607

Limb malformation
p63 gene analysis in Mexican patients with syndromic and non-syndromic ectrodactyly, 1

Load
Ex vivo static tensile loading inhibits MMP-1 expression in rat tail tendon cells through a cytoskeletally based mechanotransduction mechanism, 328

Load-bearing
Chondrocyte viability in press-fit cryopreserved osteochondral allografts, 781

Local delivery system
Prevention and treatment of experimental osteomyelitis in dogs with ciprofloxacin-loaded crosslinked high amylose starch implants, 1351

Log-linear modeling
Predicting shoulder strength using allometry: implications for shoulder outcome assessments, 884

Long thoracic nerve palsy
Measuring myoelectric fatigue of the serratus anterior in healthy subjects and patients with long thoracic nerve palsy, 872

Long-term effect
Long-term effects of local growth factor (IGF-I and TGF-β1) treatment on fracture healing A safety study for using growth factors, 514

Loosening
Early cementing does not increase debond energy of grit blasted interfaces, 822

Low back pain
The effects of lumbosacral orthoses on spine stability: What changes in EMG can be expected?, 1150

Low-intensity pulsed ultrasound
Effects of timing of low-intensity pulsed ultrasound on distraction osteogenesis, 395

Lower limb alignment
Effects of rotation on measurement of lower limb alignment for knee osteotomy, 1248

Lumbar orthoses
The effects of lumbosacral orthoses on spine stability: What changes in EMG can be expected?, 1150

Lumbar spine
The effects of lumbosacral orthoses on spine stability: What changes in EMG can be expected?, 1150

Macrophage
Comparison of the response of primary human blood monocytes and the U937 human monocytic cell line to two different sizes of alumina ceramic particles, 832
Erythromycin inhibits wear debris-induced osteoclastogenesis by modulation of murine macrophage NF-κB activity, 21

Macrophage cell culture
In vitro biocorrosion of Co–Cr–Mo implant alloy by macrophage cells, 1231

Magnetic resonance imaging
Anatomical analysis of the femoral condyle in normal and osteoarthritic knees, 104

Magnetic resonance imaging (MRI)
Evaluation of a method to map tibiofemoral contact points in the normal knee using MRI, 788

Marrow stromal cells
Early osteoblastic differentiation induced by dexamethasone enhances adenoviral gene delivery to marrow stromal cells, 411

Matrix
Chondrocyte apoptosis induced by collagen degradation: inhibition by caspase inhibitors and IGF-1, 140

Matrix degradation
Sequential dynamics of inflammatory cytokine, angiogenesis inducing factor and matrix degrading enzymes during spontaneous resorption of the herniated disc, 895

Matrix metalloproteinase-9 (MMP-9)
Matrix metalloproteinase-9 expression, tartrate-resistant acid phosphatase activity, and DNA fragmentation in vascular and cellular invasion into cartilage preceding primary endochondral ossification in long bones, 1050

Maximum voluntary contraction
Strength and voluntary activation of the quadriceps femoris muscle at different severities of osteoarthritic knee joint damage, 96

Mechanical loading
Mechanical environment alters tissue formation patterns during fracture repair, 1079
Oscillatory fluid flow affects human marrow stromal cell proliferation and differentiation, 1283

Mechanical properties
Bisphosphonate treatment affects trabecular bone apparent modulus through microarchitecture rather than matrix properties, 465
Mechanical properties of the scapholunate ligament correlate with bone mineral density measurements of the hand, 867
The role of the cytoskeleton in the viscoelastic properties of human articular chondrocytes, 131
The use of porcine small intestinal submucosa to enhance the healing of the medial collateral ligament—a functional tissue engineering study in rabbits, 214
Theoretical model and experimental results for the nonlinear elastic behavior of human annulus fibrosus, 901

Mechanical testing
Repair of rabbit segmental defects with the thrombin peptide, TP508, 1094

Mechanism
Osteoblast-like cell adhesion to bone sialoprotein peptides, 353

Mechanobiology
Anabolic and catabolic mRNA levels of the intervertebral disc vary with the magnitude and frequency of in vivo dynamic compression, 1193

Mechanoreceptors
Reflexes in the shoulder muscles elicited from the human coracoacromial ligament, 976

Mechanotransduction
Ex vivo static tensile loading inhibits MMP-1 expression in rat tail tendon cells through a cytoskeletally based mechanotransduction mechanism, 328

Medial collateral ligament
The use of porcine small intestinal submucosa to enhance the healing of the medial collateral ligament—a functional tissue engineering study in rabbits, 214

Median frequency
Measuring myoelectric fatigue of the serratus anterior in healthy subjects and patients with long thoracic nerve palsy, 872

Meniscectomy
Neuromuscular quadriceps dysfunction prior to osteoarthritis of the knee, 768

Meniscus
Femoro-tibial and menisco-tibial translation patterns in patients with unilateral anterior cruciate ligament deficiency—a potential cause of secondary meniscal tears, 275
The sensitivity of tibiofemoral contact pressure to the size and shape of the lateral and medial menisci, 807

Mesenchymal stem cell
Recruitment of mesenchymal stem cells and expression of TGF-β1 and VEGF in the early stage of shock wave-promoted bone regeneration of segmental defect in rats, 526

Mesenchymal stem cells
Genetic marking with the ΔLNGFR-gene for tracing goat cells in bone tissue engineering, 697
Mesenchymal stem cells used for rabbit tendon repair can form ectopic bone and express alkaline phosphatase activity in constructs, 998
Stem cell repair of physeal cartilage, 1215

Metal ion release
In vitro biocorrosion of Co–Cr–Mo implant alloy by macrophage cells, 1231

Microcirculation
Microcirculatory effects of pulsed electromagnetic fields, 80

Micropipette aspiration
The role of the cytoskeleton in the viscoelastic properties of human articular chondrocytes, 131

Microtomography
Repair of rabbit segmental defects with the thrombin peptide, TP508, 1094

Mineralization
Altered Cbfa1 expression and biomineralization in an osteosarcoma cell line, 404
The effects of patient age on human osteoblasts' response to Ti–6Al–4V implants in vitro, 30

Mitochondria
Chondrocyte apoptosis induced by hydrogen peroxide requires caspase activation but not mitochondrial pore transition, 1120

MMP-1
Ex vivo static tensile loading inhibits MMP-1 expression in rat tail tendon cells through a cytoskeletally based mechanotransduction mechanism, 328

Mobile-bearing
In vivo kinematics of mobile-bearing knee arthroplasty in deep knee bending motion, 1044

Modular junction
Differences in the fretting corrosion of metal–metal and ceramic–metal modular junctions of total hip replacements, 250

Motion
Motion-based tendon diagnosis using sequence processing of ultrasound images, 1296

Motion analysis
A novel system of four-dimensional motion analysis after total hip arthroplasty, 665

Mouse
The compressive creep properties of normal and degenerated murine intervertebral discs, 164

Movement analysis
A quantitative method to measure maximal workspace of the trapeziometacarpal joint—normal model development, 600

MR imaging
Femoro-tibial and menisco-tibial translation patterns in patients with unilateral anterior cruciate ligament deficiency—a potential cause of secondary meniscal tears, 275

MRI
A three-dimensional MRI analysis of knee kinematics, 283
Proteoglycan and collagen sensitive MRI evaluation of normal and degenerated articular cartilage, 557

Muscle
Production of consistent crush lesions in murine quadriceps muscle—A biomechanical, histomorphological and immunohistochemical study, 1336

Muscle activity
The effects of lumbosacral orthoses on spine stability: What changes in EMG can be expected?, 1150

Muscle architecture
Properties of the two neuromuscular compartments in a split bipennate muscle, 1325

Muscle coordination
The fundamental thumb-tip force vectors produced by the muscles of the thumb, 306

Muscle degeneration
A pathomechanical concept explains muscle loss and fatty muscular changes following surgical tendon release, 1004

Muscle fatigue
Measuring myoelectric fatigue of the serratus anterior in healthy subjects and patients with long thoracic nerve palsy, 872

Muscle forces
Tibio-femoral loading during human gait and stair climbing, 625

Muscle forms
Properties of the two neuromuscular compartments in a split bipennate muscle, 1325

Muscle loading
Kinematics of the knee at high flexion angles: an in vitro investigation, 90

Muscle metabolic activity
Evaluation of muscle metabolic activity in the lower limb of a transfemoral amputee using a prosthesis by using ^{18}F-FDG PET imaging—an application of PET imaging to rehabilitation, 878

Muscle reflex
Reflexes in the shoulder muscles elicited from the human coracoacromial ligament, 976

Muscle sensation
The role of cutaneous sensation in the motor function of the hand, 862

Musculoskeletal allografts
Viruses adsorbed on musculoskeletal allografts are inactivated by terminal ethylene oxide disinfection, 1358

Neck shaft angle
The radiographic study in the relationship of the glenohumeral joint, 298

Neck-shaft angle
Mechanobiological predictions of growth front morphology in developmental hip dysplasia, 346

Neck/cup impingement
Compliant positioning of total hip components for optimal range of motion, 815

Necrosis
Acceleration of surgical angiogenesis in necrotic bone with a single injection of fibroblast growth factor-2 (FGF-2), 509
The use of a non-ionic surfactant (P188) to save chondrocytes from necrosis following impact loading of chondral explants, 1135

Neovascularization
Cyclic strain influences the expression of the vascular endothelial growth factor (VEGF) and the hypoxia inducible factor 1 alpha (HIF-1α) in tendon fibroblasts, 847

Nepain
Mesenchymal stem cells used for rabbit tendon repair can form ectopic bone and express alkaline phosphatase activity in constructs, 998

Nerve elongation
Pre-degenerated nerve shows enhanced regeneration after incremental elongation in rats, 189

Nerve root
Pathology of lumbar nerve root compression Part 2: morphological and immunohistochemical changes of dorsal root ganglion, 180

Neural elements
Neuronal regeneration after application of radiofrequency energy to collagenous tissue is affected by limb immobilization: an in vivo animal study, 1345

Neurokinin 1-receptors
Neurokinin 1-receptors and sensory neuropeptides in tendon insertions at the medial and lateral epicondyles of the humerus Studies on tennis elbow and medial epicondylalgia, 321

Neuromuscular compartments
Properties of the two neuromuscular compartments in a split bipennate muscle, 1325

NF-κB
Erythromycin inhibits wear debris-induced osteoclastogenesis by modulation of murine macrophage NF-κB activity, 21

NF-kB
NF-kB signaling blockade abolishes implant particle-induced osteoclastogenesis, 13

Nitric oxide
Attenuation of apoptosis and enhancement of proteoglycan synthesis in rabbit cartilage defects by hyperbaric oxygen treatment are related to the suppression of nitric oxide production, 1126
In vitro biocorrosion of Co–Cr–Mo implant alloy by macrophage cells, 1231

Nociception
The nature of anterior knee pain following injection of hypertonic saline into the infrapatellar fat pad, 116

Node-strut analysis
Effects of h-PTH on cancellous bone mass, connectivity, and bone strength in ovariectomized rats with and without sciatic-neurectomy, 457

Non-invasive
Failure of trabecular bone with simulated lytic defects can be predicted non-invasively by structural analysis, 479

Non-union
Cellular and molecular characterization of a murine non-union model, 1100

Orthotopic
Bone tissue engineering in a critical size defect compared to ectopic implantations in the goat, 544

Ossification
Matrix metalloproteinase-9 expression, tartrate-resistant acid phosphatase activity, and DNA fragmentation in vascular and cellular invasion into cartilage preceding primary endochondral ossification in long bones, 1050

Osteoarthritis
Anatomical analysis of the femoral condyle in normal and osteoarthritic knees, 104
Antiresorptive therapy conserves some periarticular bone and ligament mechanical properties after anterior cruciate ligament disruption in the rabbit knee, 942
Expression of bone morphogenetic proteins, receptors, and tissue inhibitors in human fetal, adult, and osteoarthritic articular cartilage, 1188
Expression of the CD44 variant isoform 5 in the human osteoarthritic knee joint: correlation with radiological, histomorphological, and biochemical parameters, 774
Kinematics of the ACL-deficient canine knee during gait: serial changes over two years, 931
Neuromuscular quadriceps dysfunction prior to osteoarthritis of the knee, 768
Strength and voluntary activation of the quadriceps femoris muscle at different severities of osteoarthritic knee joint damage, 96
Suppression of early experimental osteoarthritis by gene transfer of interleukin-1 receptor antagonist and interleukin-10, 742
The effect of tibiofemoral joint kinematics on patellofemoral contact pressures under simulated muscle loads, 801
The role of the cytoskeleton in the viscoelastic properties of human articular chondrocytes, 131

Osteoarthrosis
Proteoglycan and collagen sensitive MRI evaluation of normal and degenerated articular cartilage, 557

Osteoblast
Altered Cbfa1 expression and biomineralization in an osteosarcoma cell line, 404
New insight into the mechanism of hip prosthesis loosening: effect of titanium debris size on osteoblast function, 229
Osteoblast-like cell adhesion to bone sialoprotein peptides, 353
The effects of patient age on human osteoblasts' response to Ti–6Al–4V implants in vitro, 30
Viable osteoblastic potential of cortical reamings from intramedullary nailing, 1271

Osteoblasts
Interleukin-4 and interleukin-13 potentiate interleukin-1 induced secretion of interleukin-6 in human osteoblast-like cells, 1058
Oscillatory fluid flow affects human marrow stromal cell proliferation and differentiation, 1283

Osteochondrosis
Experimental ischemia of porcine growth cartilage produces lesions of osteochondrosis, 1201

Osteoclastogenesis
Erythromycin inhibits wear debris-induced osteoclastogenesis by modulation of murine macrophage NF-κB activity, 21
NF-kB signaling blockade abolishes implant particle-induced osteoclastogenesis, 13

Osteodifferentiation
Early osteoblastic differentiation induced by dexamethasone enhances adenoviral gene delivery to marrow stromal cells, 411

Osteoinduction
Bone sialoprotein-coated femoral implants are osteoinductive but mechanically compromised, 641

Osteolysis
New insight into the mechanism of hip prosthesis loosening: effect of titanium debris size on osteoblast function, 229
NF-kB signaling blockade abolishes implant particle-induced osteoclastogenesis, 13
The effectiveness of polyethylene versus titanium particles in inducing osteolysis in vivo, 237

Osteomyelitis
Evaluation of Ad-BMP-2 for enhancing fracture healing in an infected defect fracture rabbit model, 66
Prevention and treatment of experimental osteomyelitis in dogs with ciprofloxacin-loaded crosslinked high amylose starch implants, 1351

Osteonecrosis
Indentation properties of growing femoral head following ischemic necrosis, 122

Osteoporosis
Bioactive cement or ceramic/porous coating vs. conventional cement to obtain early stability of the acetabular cup Randomised study of 96 hips followed with radiostereometry, 1035
Bisphosphonate treatment affects trabecular bone apparent modulus through microarchitecture rather than matrix properties, 465

Osteoprogenitor cells
Intramembranous ossification mechanism for bone bridge formation at the growth plate cartilage injury site, 417

Osteoprogenitors
Oscillatory fluid flow affects human marrow stromal cell proliferation and differentiation, 1283

Osteosarcoma
Effect of ketoprofen in topical formulation on vascular endothelial growth factor expression and tumor growth in nude mice with osteosarcoma, 1168
Interactions of cisplatin with calcium phosphate nanoparticles: in vitro controlled adsorption and release, 703

Osteotomy
Bone mass is preserved in a critical-sized osteotomy by low energy pulsed electromagnetic fields as quantitated by in vivo micro-computed tomography, 1086

Ovariectomized and/or sciatic-neurectomized rats
Effects of h-PTH on cancellous bone mass, connectivity, and bone strength in ovariectomized rats with and without sciatic-neurectomy, 457

$p21^{CIP1}$
Ibuprofen inhibition of tendon cell proliferation and upregulation of the cyclin kinase inhibitor $p21^{CIP1}$, 586

***p63* gene**
p63 gene analysis in Mexican patients with syndromic and non-syndromic ectrodactyly, 1

Parathyroid hormone
Intermittent parathyroid hormone (1–34) enhances mechanical strength and density of new bone after distraction osteogenesis in rats, 472

Particle
The effectiveness of polyethylene versus titanium particles in inducing osteolysis in vivo, 237

Particle size
New insight into the mechanism of hip prosthesis loosening: effect of titanium debris size on osteoblast function, 229

Patellar tendon
Abnormal tenocyte morphology is more prevalent than collagen disruption in asymptomatic athletes' patellar tendons, 334

Patellofemoral joint
Pre-surgery knee joint loading patterns during walking predict the presence and severity of anterior knee pain after total knee arthroplasty, 260
The effect of tibiofemoral joint kinematics on patellofemoral contact pressures under simulated muscle loads, 801

Patellofemoral pain
Knee flexion during stair ambulation is altered in individuals with patellofemoral pain, 267

Pedicle fixation
Stress relaxation of bone significantly affects the pull-out behavior of pedicle screws, 1243

PEMF
Microcirculatory effects of pulsed electromagnetic fields, 80

Pennation angle
A pathomechanical concept explains muscle loss and fatty muscular changes following surgical tendon release, 1004

Peptides
Osteoblast-like cell adhesion to bone sialoprotein peptides, 353

Periosteum
FGF-2 enhances TGF-β1-induced periosteal chondrogenesis, 1114
Serum-free media for periosteal chondrogenesis in vitro, 716

Periostin
Gene expression of periostin in the early stage of fracture healing detected by cDNA microarray analysis, 520

Peripheral nerve injury
Pre-degenerated nerve shows enhanced regeneration after incremental elongation in rats, 189

Peroxide
Chondrocyte apoptosis induced by hydrogen peroxide requires caspase activation but not mitochondrial pore transition, 1120

Photopolymerization
Crosslinking density influences the morphology of chondrocytes photoencapsulated in PEG hydrogels during the application of compressive strain, 1143

Physis
Stem cell repair of physeal cartilage, 1215

Pin tract infection
Bactericidal activity of antimicrobial coated polyurethane sleeves for external fixation pins, 671

Poly(ethylene glycol)
Crosslinking density influences the morphology of chondrocytes photoencapsulated in PEG hydrogels during the application of compressive strain, 1143

Polyethylene
The effectiveness of polyethylene versus titanium particles in inducing osteolysis in vivo, 237

Polyethylene particles
Mechanical interface conditions affect morphology and cellular activity of sclerotic bone rims forming around experimental loaded implants, 647

Polyethylene wear
Comparison of two digital radiostereometric analysis methods in the determination of femoral head penetration in a total hip replacement phantom, 659

Popliteus tendon
Assessment of healing of grade III posterolateral corner injuries: an in vivo model, 970

Porous coated
Bioactive cement or ceramic/porous coating vs. conventional cement to obtain early stability of the acetabular cup Randomised study of 96 hips followed with radiostereometry, 1035

Posterior cruciate ligament
In situ forces of the anterior and posterior cruciate ligaments in high knee flexion: an in vitro investigation, 293

Posterolateral knee
Assessment of healing of grade III posterolateral corner injuries: an in vivo model, 970

Practice
Quadriceps femoris muscle weakness and activation failure in patients with symptomatic knee osteoarthritis, 110

Precipitation
Bone healing in the rat and dog with nonglycosylated BMP-2 demonstrating low solubility in fibrin matrices, 376

Press-fit
Chondrocyte viability in press-fit cryopreserved osteochondral allografts, 781

Primary sensory neuron
Pathology of lumbar nerve root compression Part 2: morphological and immunohistochemical changes of dorsal root ganglion, 180

Progenitor cells
Targeted delivery of progenitor cells for cartilage repair, 735

Pronation
Electromyographic activity and strength during maximum isometric pronation and supination efforts in healthy adults, 208

Pronator quadratus
Electromyographic activity and strength during maximum isometric pronation and supination efforts in healthy adults, 208

Properties
Bi-directional mechanical properties of the human forearm interosseous ligament, 607

Prophylactic
Bactericidal activity of antimicrobial coated polyurethane sleeves for external fixation pins, 671

Proprioception
Neuronal regeneration after application of radiofrequency energy to collagenous tissue is affected by limb immobilization: an in vivo animal study, 1345
The role of cutaneous sensation in the motor function of the hand, 862

Prostaglandin E_2 (PGE_2)
Bone resorption activity of osteolytic metastatic lung and breast cancers, 1161

Prosthetic arthroplasty
The radiographic study in the relationship of the glenohumeral joint, 298

Prosthetic gait
Evaluation of muscle metabolic activity in the lower limb of a transfemoral amputee using a prosthesis by using ^{18}F-FDG PET imaging—an application of PET imaging to rehabilitation, 878

Prosthetic loosening
Topical, single dose bisphosphonate treatment reduced bone resorption in a rat model for prosthetic loosening, 244

Prosthetic wear
New insight into the mechanism of hip prosthesis loosening: effect of titanium debris size on osteoblast function, 229

Proteoglycan
Attenuation of apoptosis and enhancement of proteoglycan synthesis in rabbit cartilage defects by hyperbaric oxygen treatment are related to the suppression of nitric oxide production, 1126

Quadriceps dysfunction
Neuromuscular quadriceps dysfunction prior to osteoarthritis of the knee, 768

Quadriceps muscle
Strength and voluntary activation of the quadriceps femoris muscle at different severities of osteoarthritic knee joint damage, 96

Quadriceps strength
Quadriceps femoris muscle weakness and activation failure in patients with symptomatic knee osteoarthritis, 110

Rabbit
Effects of timing of low-intensity pulsed ultrasound on distraction osteogenesis, 395
In vivo study of biodegradable alginate antibiotic beads in rabbits, 592
Mesenchymal stem cells used for rabbit tendon repair can form ectopic bone and express alkaline phosphatase activity in constructs, 998

Rabbit model
Repair of rabbit segmental defects with the thrombin peptide, TP508, 1094

Rabbit osteotomy
Adenoviral-mediated transfer of human BMP-6 gene accelerates healing in a rabbit ulnar osteotomy model, 1261

Radiculopathy
Pathology of lumbar nerve root compression Part 2: morphological and immunohistochemical changes of dorsal root ganglion, 180

Radiographic study
The radiographic study in the relationship of the glenohumeral joint, 298

Radiostereometric analysis
Comparison of two digital radiostereometric analysis methods in the determination of femoral head penetration in a total hip replacement phantom, 659

Radius
Repair of rabbit segmental defects with the thrombin peptide, TP508, 1094

Range of motion
Compliant positioning of total hip components for optimal range of motion, 815

Rapid cooling
Intramatrix events during cryopreservation of porcine articular cartilage using rapid cooling, 152

Rat
Intermittent parathyroid hormone (1–34) enhances mechanical strength and density of new bone after distraction osteogenesis in rats, 472

Rat sciatic nerve
Pre-degenerated nerve shows enhanced regeneration after incremental elongation in rats, 189

Rats
Microcirculatory effects of pulsed electromagnetic fields, 80

Real-time PCR
Altered Cbfa1 expression and biomineralization in an osteosarcoma cell line, 404

Real-time RT-PCR
Anabolic and catabolic mRNA levels of the intervertebral disc vary with the magnitude and frequency of in vivo dynamic compression, 1193

Reaming
Viable osteoblastic potential of cortical reamings from intramedullary nailing, 1271

Regeneration
Pre-degenerated nerve shows enhanced regeneration after incremental elongation in rats, 189

Regression diagnostics
Predicting shoulder strength using allometry: implications for shoulder outcome assessments, 884

Relaxation
Early callus of fractured rib of rat contracts and relaxes ex vivo, 1063

Remodeling
Long stemmed total knee arthroplasty with interlocking screws: a computational bone adaptation study, 51

Remodelling
Predicting stress fractures using a probabilistic model of damage, repair and adaptation, 487

Repair
Cellular and molecular characterization of a murine non-union model, 1100
Production of consistent crush lesions in murine quadriceps muscle—A biomechanical, histomorphological and immunohistochemical study, 1336
Targeted delivery of progenitor cells for cartilage repair, 735

Repression
A silencer element in the cartilage oligomeric matrix protein gene regulates chondrocyte-specific expression, 751

Resorption
Systemic and local ibandronate enhance screw fixation, 1108

Retinoblastoma protein
Ibuprofen inhibition of tendon cell proliferation and upregulation of the cyclin kinase inhibitor $p21^{CIP1}$, 586

Retroviral marking
Genetic marking with the ΔLNGFR-gene for tracing goat cells in bone tissue engineering, 697

Revision arthroplasty
The effect of osteogenic growth factors on bone growth into a ceramic filled defect around an implant, 1016

Revision total joint
Mechanical interface conditions affect morphology and cellular activity of sclerotic bone rims forming around experimental loaded implants, 647

Rotator cuff tear
Glenoid version and rotator cuff tears, 202

RP59
Recruitment of mesenchymal stem cells and expression of TGF-β1 and VEGF in the early stage of shock wave-promoted bone regeneration of segmental defect in rats, 526

RSA
Bioactive cement or ceramic/porous coating vs. conventional cement to obtain early stability of the acetabular cup Randomised study of 96 hips followed with radiostereometry, 1035

Sagittal plane
Knee flexion during stair ambulation is altered in individuals with patellofemoral pain, 267

Sarcomere
Overstretching of sarcomeres may not cause cerebral palsy muscle contracture, 1331

Scaling
Predicting shoulder strength using allometry: implications for shoulder outcome assessments, 884

Scapholunate ligament
Mechanical properties of the scapholunate ligament correlate with bone mineral density measurements of the hand, 867

Sclerotic bone rim (SB rim)
Mechanical interface conditions affect morphology and cellular activity of sclerotic bone rims forming around experimental loaded implants, 647

Screw fixation
Effect of cortical thickness and cancellous bone density on the holding strength of internal fixator screws, 1237

Screw pull-out
Stress relaxation of bone significantly affects the pull-out behavior of pedicle screws, 1243

Segmental bone defect
Repair of rabbit segmental defects with the thrombin peptide, TP508, 1094

Septic
Reducing joint destruction due to septic arthrosis using an adenosine$_{2A}$ receptor agonist, 427

Serratus anterior
Measuring myoelectric fatigue of the serratus anterior in healthy subjects and patients with long thoracic nerve palsy, 872

Serum-free media
Serum-free media for periosteal chondrogenesis in vitro, 716

Sex
The effects of patient age on human osteoblasts' response to Ti–6Al–4V implants in vitro, 30

Sheep
Hyaline cartilage degenerates after autologous osteochondral transplantation, 1210

Shock wave
Recruitment of mesenchymal stem cells and expression of TGF-β1 and VEGF in the early stage of shock wave-promoted bone regeneration of segmental defect in rats, 526

Shock waves
Extracorporeal shock waves promote healing of collagenase-induced Achilles tendinitis and increase TGF-β1 and IGF-I expression, 854

Shoulder
Glenoid version and rotator cuff tears, 202
The effect of capsular tightening on humeral head translations, 194

Shoulder function
Shoulder prostheses treating cuff tear arthropathy: a comparative biomechanical study, 1222

Shoulder joint
Reflexes in the shoulder muscles elicited from the human coracoacromial ligament, 976

Shoulder prosthesis
Shoulder prostheses treating cuff tear arthropathy: a comparative biomechanical study, 1222

Silver
Adhesion of *Staphylococcus* to orthopaedic metals, an in vivo study, 39

siRNA
Targeting of EWS/FLI-1 by RNA interference attenuates the tumor phenotype of Ewing's sarcoma cells in vitro, 910

Small intestinal submucosa
The use of porcine small intestinal submucosa to enhance the healing of the medial collateral ligament—a functional tissue engineering study in rabbits, 214

Smooth muscle
Early callus of fractured rib of rat contracts and relaxes ex vivo, 1063

Soft tissue constraints
Kinematics of the knee at high flexion angles: an in vitro investigation, 90

Spastic muscle
Overstretching of sarcomeres may not cause cerebral palsy muscle contracture, 1331

Spine
Stress relaxation of bone significantly affects the pull-out behavior of pedicle screws, 1243

Spine stability
The effects of lumbosacral orthoses on spine stability: What changes in EMG can be expected?, 1150

Split muscle transfer
Properties of the two neuromuscular compartments in a split bipennate muscle, 1325

Spontaneous resorption cascade
Sequential dynamics of inflammatory cytokine, angiogenesis inducing factor and matrix degrading enzymes during spontaneous resorption of the herniated disc, 895

Starch
Prevention and treatment of experimental osteomyelitis in dogs with ciprofloxacin-loaded crosslinked high amylose starch implants, 1351

Strain energy
Theoretical model and experimental results for the nonlinear elastic behavior of human annulus fibrosus, 901

Strain rate
Cartilage injury by ramp compression near the gel diffusion rate, 145

Stress shielding
Long stemmed total knee arthroplasty with interlocking screws: a computational bone adaptation study, 51

Stress-fracture
Predicting stress fractures using a probabilistic model of damage, repair and adaptation, 487

Stromal cells
Oscillatory fluid flow affects human marrow stromal cell proliferation and differentiation, 1283

Substance P
Neurokinin 1-receptors and sensory neuropeptides in tendon insertions at the medial and lateral epicondyles of the humerus Studies on tennis elbow and medial epicondylalgia, 321

Supination
Electromyographic activity and strength during maximum isometric pronation and supination efforts in healthy adults, 208

Surface geometry
Anatomical analysis of the femoral condyle in normal and osteoarthritic knees, 104

Surgical planning
The fundamental thumb-tip force vectors produced by the muscles of the thumb, 306

Synchrotron radiation
Repair of rabbit segmental defects with the thrombin peptide, TP508, 1094

T_2
Proteoglycan and collagen sensitive MRI evaluation of normal and degenerated articular cartilage, 557

Targeting
Targeted delivery of progenitor cells for cartilage repair, 735

βTCP
The effect of osteogenic growth factors on bone growth into a ceramic filled defect around an implant, 1016

Teased fiber
Internodes can nearly double in length with gradual elongation of the adult rat sciatic nerve, 571

Tendinitis
Extracorporeal shock waves promote healing of collagenase-induced Achilles tendinitis and increase TGF-β1 and IGF-I expression, 854

Tendinopathy
Abnormal tenocyte morphology is more prevalent than collagen disruption in asymptomatic athletes' patellar tendons, 334

Tendon
Ibuprofen inhibition of tendon cell proliferation and upregulation of the cyclin kinase inhibitor $p21^{CIP1}$, 586
Mesenchymal stem cells used for rabbit tendon repair can form ectopic bone and express alkaline phosphatase activity in constructs, 998
Motion-based tendon diagnosis using sequence processing of ultrasound images, 1296

Tendon cells
Ex vivo static tensile loading inhibits MMP-1 expression in rat tail tendon cells through a cytoskeletally based mechanotransduction mechanism, 328

Tendon healing
Cyclic strain influences the expression of the vascular endothelial growth factor (VEGF) and the hypoxia inducible factor 1 alpha (HIF-1α) in tendon fibroblasts, 847

Tendon insertion
Neurokinin 1-receptors and sensory neuropeptides in tendon insertions at the medial and lateral epicondyles of the humerus Studies on tennis elbow and medial epicondylalgia, 321

Tenocytes
Abnormal tenocyte morphology is more prevalent than collagen disruption in asymptomatic athletes' patellar tendons, 334

Tensile
Bi-directional mechanical properties of the human forearm interosseous ligament, 607

Tension
Creep dominates tensile fatigue damage of the cement–bone interface, 633
Twist and its effect on ACL graft forces, 963

Terminal disinfection
Viruses adsorbed on musculoskeletal allografts are inactivated by terminal ethylene oxide disinfection, 1358

TGF (transforming growth factor)
FGF-2 enhances TGF-β1-induced periosteal chondrogenesis, 1114

TGF-β1
Extracorporeal shock waves promote healing of collagenase-induced Achilles tendinitis and increase TGF-β1 and IGF-I expression, 854
Long-term effects of local growth factor (IGF-I and TGF-β1) treatment on fracture healing A safety study for using growth factors, 514
Recruitment of mesenchymal stem cells and expression of TGF-β1 and VEGF in the early stage of shock wave-promoted bone regeneration of segmental defect in rats, 526

THA
Creep dominates tensile fatigue damage of the cement–bone interface, 633

THR
Bioactive cement or ceramic/porous coating vs. conventional cement to obtain early stability of the acetabular cup Randomised study of 96 hips followed with radiostereometry, 1035

Thrombin related peptide
Repair of rabbit segmental defects with the thrombin peptide, TP508, 1094

Thumb
A quantitative method to measure maximal workspace of the trapeziometacarpal joint—normal model development, 600
The fundamental thumb-tip force vectors produced by the muscles of the thumb, 306

Tibia
Long stemmed total knee arthroplasty with interlocking screws: a computational bone adaptation study, 51

Tibio-femoral joint
Tibio-femoral loading during human gait and stair climbing, 625

Timing
Effects of timing of low-intensity pulsed ultrasound on distraction osteogenesis, 395

Tissue differentiation
Mechanical environment alters tissue formation patterns during fracture repair, 1079

Tissue engineering
Bone tissue engineering in a critical size defect compared to ectopic implantations in the goat, 544
Genetic marking with the ΔLNGFR-gene for tracing goat cells in bone tissue engineering, 697
Self-hardening calcium phosphate composite scaffold for bone tissue engineering, 535
Zonal and topographical differences in articular cartilage gene expression, 1182

Titanium
Coating of titanium implants with type-I collagen, 1025
The effectiveness of polyethylene versus titanium particles in inducing osteolysis in vivo, 237

TNF-α
Production of consistent crush lesions in murine quadriceps muscle—A biomechanical, histomorphological and immunohistochemical study, 1336

Topical
Topical, single dose bisphosphonate treatment reduced bone resorption in a rat model for prosthetic loosening, 244

Topical formulation
Effect of ketoprofen in topical formulation on vascular endothelial growth factor expression and tumor growth in nude mice with osteosarcoma, 1168

Total hip arthroplasty
A novel system of four-dimensional motion analysis after total hip arthroplasty, 665
Comparison of two digital radiostereometric analysis methods in the determination of femoral head penetration in a total hip replacement phantom, 659
Compliant positioning of total hip components for optimal range of motion, 815

Total hip replacement
Differences in the fretting corrosion of metal–metal and ceramic–metal modular junctions of total hip replacements, 250

Total joint replacement
Comparison of the response of primary human blood monocytes and the U937 human monocytic cell line to two different sizes of alumina ceramic particles, 832

Total knee arthroplasty
In vivo kinematics of mobile-bearing knee arthroplasty in deep knee bending motion, 1044
Pre-surgery knee joint loading patterns during walking predict the presence and severity of anterior knee pain after total knee arthroplasty, 260

Trabecular
Failure of trabecular bone with simulated lytic defects can be predicted non-invasively by structural analysis, 479

Trabecular connectivity
Effects of h-PTH on cancellous bone mass, connectivity, and bone strength in ovariectomized rats with and without sciatic-neurectomy, 457

Transcription
A silencer element in the cartilage oligomeric matrix protein gene regulates chondrocyte-specific expression, 751

Transfemoral amputee
Evaluation of muscle metabolic activity in the lower limb of a transfemoral amputee using a prosthesis by using ^{18}F-FDG PET imaging—an application of PET imaging to rehabilitation, 878

Transforming growth factor beta
Serum-free media for periosteal chondrogenesis in vitro, 716

Transforming growth factor-beta
Transforming growth factor-β1 induced alteration of skeletal morphogenesis in vivo, 687

Transgenic mice
Distraction osteogenesis in the Cbfa-$1^{+/-}$ mouse, 1276

Translation
Femoro-tibial and menisco-tibial translation patterns in patients with unilateral anterior cruciate ligament deficiency—a potential cause of secondary meniscal tears, 275
The effect of capsular tightening on humeral head translations, 194

Transplantation
Chondrocyte viability in press-fit cryopreserved osteochondral allografts, 781

Trapeziometacarpal joint
A quantitative method to measure maximal workspace of the trapeziometacarpal joint—normal model development, 600

Trauma
Comparison of chondrocyte apoptosis in vivo and in vitro following acute osteochondral injury, 678

Treatment
Acceleration of surgical angiogenesis in necrotic bone with a single injection of fibroblast growth factor-2 (FGF-2), 509

Tubulin
The role of the cytoskeleton in the viscoelastic properties of human articular chondrocytes, 131

Tumor growth
Effect of ketoprofen in topical formulation on vascular endothelial growth factor expression and tumor growth in nude mice with osteosarcoma, 1168

Twist
Twist and its effect on ACL graft forces, 963

Two- to three-dimensional registration
In vivo kinematics of mobile-bearing knee arthroplasty in deep knee bending motion, 1044

Ulna
Repair of rabbit segmental defects with the thrombin peptide, TP508, 1094

Ultrasound
Motion-based tendon diagnosis using sequence processing of ultrasound images, 1296

UMR106-01
Altered Cbfa1 expression and biomineralization in an osteosarcoma cell line, 404

Undecalcified bone sections
Coating of titanium implants with type-I collagen, 1025

Unreamed tibial nail
Comparison of unreamed nailing and external fixation of tibial diastases—mechanical conditions during healing and biological outcome, 1072

Vancomycin
In vivo study of biodegradable alginate antibiotic beads in rabbits, 592

Vascular endothelial growth factor
Effect of ketoprofen in topical formulation on vascular endothelial growth factor expression and tumor growth in nude mice with osteosarcoma, 1168

Vascular endothelial growth factor (VEGF)
Cyclic strain influences the expression of the vascular endothelial growth factor (VEGF) and the hypoxia inducible factor 1 alpha (HIF-1α) in tendon fibroblasts, 847

Vascular mechanisms
Microcirculatory effects of pulsed electromagnetic fields, 80

Vasti
Knee flexion during stair ambulation is altered in individuals with patellofemoral pain, 267

VEGF
Experimental ischemia of porcine growth cartilage produces lesions of osteochondrosis, 1201

VEGF-A
Recruitment of mesenchymal stem cells and expression of TGF-β1 and VEGF in the early stage of shock wave-promoted bone regeneration of segmental defect in rats, 526

Viability
Chondrocyte viability in press-fit cryopreserved osteochondral allografts, 781

Vimentin
The role of the cytoskeleton in the viscoelastic properties of human articular chondrocytes, 131

Viruses
Viruses adsorbed on musculoskeletal allografts are inactivated by terminal ethylene oxide disinfection, 1358

Viscoelastic properties
Stress relaxation of bone significantly affects the pull-out behavior of pedicle screws, 1243

Vitrification
Intramatrix events during cryopreservation of porcine articular cartilage using rapid cooling, 152

Voluntary activation
Strength and voluntary activation of the quadriceps femoris muscle at different severities of osteoarthritic knee joint damage, 96

Wallerian degeneration
Pre-degenerated nerve shows enhanced regeneration after incremental elongation in rats, 189

Wear debris
Erythromycin inhibits wear debris-induced osteoclastogenesis by modulation of murine macrophage NF-κB activity, 21

Workspace
A quantitative method to measure maximal workspace of the trapeziometacarpal joint—normal model development, 600

Wrist
Measurement of changes in trabecular bone at fracture sites using X-ray CT and automated image registration and processing, 362

Zirconia
Differences in the fretting corrosion of metal–metal and ceramic–metal modular junctions of total hip replacements, 250

Zonal separation
Zonal and topographical differences in articular cartilage gene expression, 1182